

CHOOSE YOUR FORBS/LEGUMES

Common Name	Scientific Name Flowering Period	Lbs / acre PLS	Seeds / ft2 PLS	Coefficient of Conservatism	# Seeds / ft² @ 1 lb. / ac	% of Mix	Functional Group
		Equivalent rate below					
Black-eyed Susan	Rudbeckia hirta Summer, Fall	0.053	1.800	3	33.792	4.50%	Biennial Forb
Partridge Pea	Chamaecrista fasciculata Summer, Fall	0.202	0.200	3	1.0	0.50%	Annual Forb, Legume
White Prairie Clover	Dalea candida Summer, Fall	0.215	1.500	9	6.9789	3.75%	Perennial Forb, Legume
Showy Ticktrefoil	Desmodium canadense Summer	0.050	0.100	6	2.0202	0.25%	Perennial Forb, Legume
Round-headed Bush Clover	Lespedeza capitata Summer, Fall	0.034	0.100	4	2.9385	0.25%	Perennial Forb, Legume
Purple Prairie Clover	Dalea purpurea Summer, Fall	0.227	1.500	7	6.6116	3.75%	Perennial Forb, Legume
Canadian Milkvetch	Astragalus canadensis Summer	0.160	1.000	5	6.2443	2.50%	Perennial Forb, Legume
Foxglove Beardtongue	Penstemon digitalis Summer	0.016	0.750	5	47.7502	1.88%	Perennial Forb
Gray-headed Coneflower	Ratibida pinnata Summer, Fall	0.045	0.500	4	11.0193	1.25%	Perennial Forb
Old Field Goldenrod	Solidago nemoralis Summer, Fall	0.0023	0.250	5	110.1928	0.63%	Perennial Forb
Large-Flowered Beardtongue	Penstemon grandiflorus Spring, Summer	0.097	0.500	7	5.1423	1.25%	Perennial Forb
Prairie Cinquefoil	Potentilla arguta Summer, Fall	0.014	1.200	9	84.4812	3.00%	Perennial Forb
Illinois Ticktrefoil	Desmodium illinoense Summer	0.063	0.100	6	1.5794	0.25%	Perennial Forb, Legume
Illinois Bundle Flower	Desmanthus illinoensis Summer	0.324	0.500	5	1.5427	1.25%	Perennial Forb, Legume

