Customize Options to Suit Site Conditions

○ Dry (Xeric) ○ Dry/Mesic ○ Mesic (Medium) ○ Wet/Mesic ○ Wet (Hydric)

○ Prairie ○ Savanna ○ Wetland ○ Woodland

CHOOSE A RATE SPECIFICATION:

○ lbs/acre PLS ◉ Seeds/ft2 PLS

United States Department of Agriculture
Natural Resources Conservation Service

Current Version 08/24

CHOOSE YOUR GRASSES

Common Name	Scientific Name Growth Form	Lbs / acre PLS	Seeds / ft2 PLS	Coefficient of Conservatism	# Seeds / ft^2 @ 1 lb. / ac	% of Mix	Functional Group
		Equivalent rate below					

	Species Richness	lbs / acre PLS	seeds / ft^2 PLS	Average CC
GRAMINOID TOTAL	0	0.000	0.000	0.0

CHOOSE YOUR FORBS/LEGUMES

Common Name	Scientific Name Flowering Period	Lbs / acre PLS Equivalent rate below	Seeds / ft2 PLS Equivalent rate below	Coefficient of Conservatism	# Seeds / ft^2 @ 1 lb. / ac	% of Mix	Functional Group
Butterfly Weed	**Asclepias tuberosa**		**0.100**	7	1.579	5.00%	Perennial Forb
	Summer	**0.063**					
Common Milkweed	**Asclepias syriaca**		**0.900**	1	1.574	45.00%	Perennial Forb
	Summer	**0.572**					
Swamp Milkweed	**Asclepias incarnata**		**0.900**	4	1.7631	45.00%	Perennial Forb
	Summer	**0.510**					
Whorled Milkweed	**Asclepias verticillata**		**0.050**	1	4.0404	2.50%	Perennial Forb
	Summer, Fall	**0.012**					
Sullivant's Milkweed	**Asclepias sullivantii**		**0.050**	8	1.6529	2.50%	Perennial Forb
	Summer	**0.030**					

	Species Richness	lbs / acre PLS	seeds / ft^2 PLS	Average CC
FORBS/LEGUMES TOTAL	5	1.188	2.000	4.2

CHOOSE YOUR VINE OR WOODY PLANT SPECIES

Common Name	Scientific Name Flowering Period	Lbs / acre PLS	Seeds / ft2 PLS	Coefficient of Conservatism	# Seeds / ft^2 @ 1 oz. / ac	% of Mix	Functional Group
		Equivalent rate below					

	Species Richness	Lbs / acre PLS	seeds / ft^2 PLS	Average CC
VINE & WOODY PLANT TOTAL	0	0.000	0.000	0.0

	lbs / acre PLS	seeds / ft^2 PLS	Average CC	Species Richness	Floristic Quality Index
GRAND TOTAL	1.188	2.000	4.2	5	9.4