



PHEASANTS AND QUAIL FOREVER 2024 SEED MIXES MIDWEST REGION







OUR MISSION IS HABITAT





MIDWEST REGION



Contact: Dave Reuter

<u>DReuter@pheasantsforever.org</u>

(563) 327-0060



Purchase With A Purpose

Our Mission is Habitat, so let us help you with yours. These mixes have been designed by a team of wildlife professionals to provide diverse, high-quality, longlasting habitat and meet state and federal conservation standards. We want the best habitat on the ground possible to produce the most wildlife, so we offer it at the lowest possible price.

All proceeds from seed sales go directly toward our mission of putting more habitat on the ground, youth in our fields and birds in the air. So, you're not only a customer, you're a supporter of conservation and our upland hunting heritage.

CLEAN, QUALITY SEED

We partner with the best growers and suppliers who have a reputation for providing clean, quality seed. Together we've developed the most robust standards, including field scouting, multiple tests (using the latest technology) for noxious weeds, including Palmer Amaranth, to ensure our customers have the highest quality seed available.

Ordering Information

Online at: www.PFhabitatstore.com

WE DO CUSTOM MIXES


- · Real time pricing and availability of mixes
 - · Major credit cards accepted
 - · Normal shipping and handling included
- · Orders typically delivered within 7-10 business days after payment
 - · Orders shipped directly to address provided
 - · Invoices and PLS documents emailed at time of order
 - · Mixes in State seed calculator online when available











Click here to order:

CLICK HERE

Partners click here to order:

CLICK HERE









IA CP25 ECONOMY MESIC PRAIRIE 30/10 MIX

This 20 species CP25 mix exceeds the Iowa USDA requirements for CP25 plantings. Mix has 30 grass seeds and 10 forb seeds per square foot.

Includes (#s/ac): Bluestem, Big (VNS) (0.817), Sedge, Fox (0.218), Wildrye, Virginia (cool season) (0.648), Junegrass, Prairie (0.095), Switchgrass (VNS) (0.194), Indiangrass (local or vns) (0.454), Dropseed, Tall Composite (Rough) (0.726), Milkvetch, Canada (0.096), Prairie Clover, White (0.072), Prairie Clover, Purple (0.076), Hyssop, Fragrant Giant(anise) (Blue Giant) (0.045), Milkweed, Common (0.064), Coneflower, Pale Purple (0.052), Sunflower, False (Oxeye) (0.173), Goldenrod, Stiff (Rigid) (0.027), Beardtongue, Foxglove (Smooth penstemon) (0.021), Cinquefoil, prairie (potentilla) (0.024), Coneflower, Grayheaded (Yellow) (0.045), Susan, Black-eyed (0.059), Alexander, Golden (0.099)

IA CP25 Standard Mesic Prairie 30/10 Mix (The Iowa Mix)

This 27 species CP25 mix exceeds the Iowa USDA requirements for CP25 plantings. Mix has 30 grass seeds and 10 forb seeds per square foot.

Includes (#s/ac): Bluestem, Big (VNS) (0.817), Sideoats grama (local, vns) (0.908), Sedge, Fox (0.218), Wildrye, Virginia (cool season) (0.648), Switchgrass (VNS) (0.778), Bluestem, Little (VNS) (0.363), Indiangrass (local or vns) (0.454), Dropseed, Tall Composite (Rough) (0.726), Milkvetch, Canada (0.16), Partridge Pea (0.101), Prairie Clover, White (0.115), Prairie Clover, Purple (0.151), Milkweed, Swamp (Marsh) (0.028), Milkweed, Common (0.032), Coneflower, Pale Purple (0.052), Sunflower, False (Oxeye) (0.13), Bergamot, Wild (Prairie Beebalm) (0.0097), Goldenrod, Stiff (Rigid) (0.03), Beardtongue, Foxglove (Smooth penstemon) (0.021), Beardtongue, Large (shell leaf) (0.039), Coneflower, Grayheaded (Yellow) (0.045), Susan, Blackeyed (0.056), Aster, Sky Blue (Azure) (0.017), Vervain, Blue (0.029), Vervain, Hoary (0.039), Ironweed (0.011), Alexander, Golden (0.074)











IA CP25 Iowa Ecotype 30/10 Mix


This 33 species CP25 mix is all IOWA Ecotype. Mix consists of 30 grass seeds and 10 forb seeds per square foot.

Includes (#s/ac): Bluestem, Big (VNS) (1.089), Sideoats grama (local, vns) (0.681), Sedge, Prairie Oval (Shortbeak Sedge) (0.047), Sedge, Fox (0.218), Wildrye, Virginia (cool season) (0.648), Switchgrass (VNS) (0.583), Bluestem, Little (VNS) (0.363), Indiangrass (local or vns) (0.454), Dropseed, Tall Composite (Rough) (0.726), Milkvetch, Canada (0.16), Prairie Clover, Purple (0.151), Tick-trefoil, Illinois (0.032), Lespedeza, Roundhead (Bushclover) (0.017), Milkweed, Swamp (Marsh) (0.028), Milkweed, Common (0.032), Coneflower, Pale Purple (0.052), Rattlesnake Master (0.018), Gentain, Pale (Yellow) (Cream) (0.002), Sunflower, False (Oxeye) (0.108), Bergamot, Wild (Prairie Beebalm) (0.008), Goldenrod, Stiff (Rigid) (0.033), Beardtongue, Large (shell leaf) (0.049), Obedident Plant (False Drangonhead) (0.001), Cinquefoil, prairie (potentilla) (0.018), Coneflower, Prairie (Long-headed) (0.005), Coneflower, Grayheaded (Yellow) (0.045), Susan, Black-eyed (0.059), Susan, Sweet black-eyed (Sweet, Fragrant Coneflower) (0.006), Goldenrod, Showy (0.007), Aster, Sky Blue (Azure) (0.017), Ironweed (0.011), Culver's Root (0.004), Alexander, Golden (0.062)









IA CP25 Diversity Mesic Prairie 30/10 Mix

This diverse 43 species CP25 mix has 30 grass seeds and 10 forb seeds per square foot. BEST VALUE!

Includes (#s/ac): Bluestem, Big (VNS) (0.817), Sideoats grama (local, vns) (0.681), Sedge, Prairie Oval (Shortbeak Sedge) (0.019), Sedge, Fox (0.218), Wildrye, Virginia (cool season) (0.324), Junegrass, Prairie (0.052), Switchgrass (VNS) (0.194), Bluestem, Little (VNS) (0.363), Indiangrass (local or vns) (0.454), Dropseed, Tall Composite (Rough) (0.726), Leadplant (0.017), Milkvetch, Canada (0.08), Partridge Pea (0.05), Prairie Clover, White (0.104), Prairie Clover, Purple (0.151), Illinois Bundleflower (Prairie Mimosa) (0.13), Lespedeza, Roundhead (Bushclover) (0.017), Onion, Nodding Wild (Pink) (0.012), Sagebrush, white (0.003), Milkweed, Swamp (Marsh) (0.028), Milkweed, Common (0.032), Milkweed, Butterfly (Butterflyweed) (0.006), Indigo, Blue Wild (0.018), Coreopsis, Tall (tickseed) (0.01), Coneflower, Pale Purple (0.105), Coneflower, Purple (0.021), Rattlesnake Master (0.018), Sunflower, False (Oxeye) (0.086), Bergamot, Wild (Prairie Beebalm) (0.008), Goldenrod, Stiff (Rigid) (0.013), Beardtongue, Foxglove (Smooth penstemon) (0.017), Beardtongue, Large (shell leaf) (0.039), Obedident Plant (False Drangonhead) (0.006), Cinquefoil, prairie (potentilla) (0.012), Coneflower, Grayheaded (Yellow) (0.036), Susan, Black-eyed (0.056), Susan, Sweet black-eyed (Sweet, Fragrant Coneflower) (0.013), Compass Plant (0.021), Aster, Sky Blue (Azure) (0.014), Aster, Frost (hairy white oldfield) (hairy) (0.002), Ironweed (0.023), Culver's Root (0.002), Alexander, Golden (0.05)







IA CP25 Wet Prairie 30/10 Mix


This 30 species CP25 mix is designed to meet the Iowa USDA requirements for CP25 plantings on wet areas. Mix has 30 grass seeds and 10 forb seeds per square foot.

Includes (#s/ac): Bluestem, Big (VNS) (0.681), Sedge, Yellow-fruit (yellow fox) (0.015), Sedge, Bottlebrush (Porcupine Sedge) (0.045), Sedge, shallow (lurid) (0.113), Sedge, troublesome (0.054), Sedge, Fox (0.218), Wildrye, Virginia (cool season) (1.296), Fowl manna grass (0.009), Switchgrass (VNS) (0.097), Bluegrass, Fowl (0.168), Bulrush, green (Dark green) (0.012), Woolgrass (0.006), Indiangrass (local or vns) (0.113), Milkweed, Swamp (Marsh) (0.028), Joe-Pye Weed, Spotted (Spotted Trumpetweed) (0.001), Sneezeweed (0.021), Great St Johns Wort (Giant) (0.021), Cardinal Flower (0.001), Lobelia, great blue (0.001), Seedbox (0.002), Loosestrife, winged (0.001), Monkeyflower, allegheny (Square-stemmed) (0.002), Obedident Plant (False Drangonhead) (0.001), Susan, Sweet black-eyed (Sweet, Fragrant Coneflower) (0.016), Susan, Brown-eyed (0.064), Cup Plant (0.019), Aster, New England (0.01), Vervain, Blue (0.059), Ironweed (0.034), Alexander, Golden (0.05)

IA CP25 Dense Bedding 30/10 Mix

NEW MIX! This 16 species, CP25 30/10 mix is designed to do what the title implies- Provide a dense bedding area. Check with your local NRCS prior to ordering when purchasing as a Conservation Program mix.

Includes (#s/ac): Bluestem, Big (VNS) (2.178), Wildrye, Virginia (cool season) (1.296), Switchgrass (VNS) (0.778), Indiangrass (local or vns) (1.815), Dropseed, Tall Composite (Rough) (0.726), Partridge Pea (0.252), Prairie Clover, White (0.143), Prairie Clover, Purple (0.227), Illinois Bundleflower (Prairie Mimosa) (0.162), Bergamot, Wild (Prairie Beebalm) (0.039), Goldenrod, Stiff (Rigid) (0.033), Cinquefoil, prairie (potentilla) (0.018), Coneflower, Grayheaded (Yellow) (0.091), Susan, Black-eyed (0.044), Aster, Smooth Blue (0.025), Culver's Root (0.0034)











IA CP25 Economy Mesic Prairie 20/20 Mix

This 20 species CP25 20/20 mix has 20 grass seeds and 20 forb seeds per square foot. This mix is designed for mesic soils.

Includes (#s/ac): Bluestem, Big (VNS) (0.681), Sedge, Fox (0.163), Wildrye, Virginia (cool season) (0.324), Junegrass, Prairie (0.041), Switchgrass (VNS) (0.097), Indiangrass (local or vns) (0.34), Dropseed, Tall Composite (Rough) (0.545), Milkvetch, Canada (0.16), Prairie Clover, White (0.258), Prairie Clover, Purple (0.303), Hyssop, Fragrant Giant(anise) (Blue Giant) (0.121), Milkweed, Common (0.064), Coneflower, Pale Purple (0.052), Sunflower, False (Oxeye) (0.216), Goldenrod, Stiff (Rigid) (0.033), Beardtongue, Foxglove (Smooth penstemon) (0.042), Cinquefoil, prairie (potentilla) (0.036), Coneflower, Grayheaded (Yellow) (0.091), Susan, Black-eyed (0.104), Alexander, Golden (0.124)

IA CP25 Standard Mesic Prairie 20/20 Mix

This 31 species CP25 20/20 mix has 20 grass seeds and 20 forb seeds per square foot. This mix is designed for mesic soils.

Includes (#s/ac): Bluestem, Big (VNS) (0.681), Sideoats grama (local, vns) (0.454), Sedge, Fox (0.15), Wildrye, Virginia (cool season) (0.324), Switchgrass (VNS) (0.097), Bluestem, Little (VNS) (0.182), Indiangrass (local or vns) (0.227), Dropseed, Tall Composite (Rough) (0.726), Milkvetch, Canada (0.32), Partridge Pea (0.101), Prairie Clover, White (0.143), Prairie Clover, Purple (0.34), Illinois Bundleflower (Prairie Mimosa) (0.065), Tick-trefoil, Illinois (0.063), Lespedeza, Roundhead (Bushclover) (0.034), Milkweed, Swamp (Marsh) (0.028), Milkweed, Common (0.064), Coneflower, Pale Purple (0.052), Sneezeweed (0.042), Sunflower, False (Oxeye) (0.216), Bergamot, Wild (Prairie Beebalm) (0.039), Goldenrod, Stiff (Rigid) (0.013), Beardtongue, Foxglove (Smooth penstemon) (0.042), Beardtongue, Large (shell leaf) (0.097), Coneflower, Grayheaded (Yellow) (0.091), Susan, Blackeyed (0.115), Susan, Sweet black-eyed (Sweet, Fragrant Coneflower) (0.032), Aster, Sky Blue (Azure) (0.034), Vervain, Hoary (0.049), Ironweed (0.057), Alexander, Golden (0.124)











IA CP25 Shortgrass Prairie 20/20 Mix

This 27 species CP25 20/20 mix has 20 grass seeds and 20 forb seeds per square foot.

Includes (#s/ac): Sideoats grama (local, vns) (1.134), Blue grama (0.204), Brome, Arctic (Prairie Brome, Kalm's Brome) (0.017), Sedge, Fox (0.136), Junegrass, Prairie (0.027), Bluestem, Little (VNS) (0.454), Dropseed, Tall Composite (Rough) (0.454), Milkvetch, Canada (0.32), Prairie Clover, White (0.215), Prairie Clover, Purple (0.454), Illinois Bundleflower (Prairie Mimosa) (0.162), Tick-trefoil, Illinois (0.063), Sagebrush, white (0.03), Milkweed, Common (0.032), Butterfly Milkweed (Iowa) (0.013), Coneflower, Purple (0.041), Gentain, Pale (Yellow) (Cream) (0.008), Sunflower, Prairie (Stiff, Showy) (0.005), Sunflower, False (Oxeye) (0.13), Bergamot, Wild (Prairie Beebalm) (0.019), Aster, Stiff (Upland White Goldenrod) (0.004), Beardtongue, Large (shell leaf) (0.058), Coneflower, Grayheaded (Yellow) (0.136), Susan, Black-eyed (0.118), Goldenrod, Gray (Field) (Old Field) (0.023), Vervain, Hoary (0.029), Alexander, Golden (0.074)

IA CP25 Wet Prairie 20/20 Mix

NEW MIX! This 30 species CP25 20/20 mix has 20 grass seeds and 20 forb seeds per square foot. This mix is designed for wet soils.

Includes (#s/ac): Bluestem, Big (VNS) (0.545), Sedge, Yellow-fruit (yellow fox) (0.006), Sedge, Bottlebrush (Porcupine Sedge) (0.018), Sedge, shallow (lurid) (0.045), Sedge, troublesome (0.022), Sedge, Fox (0.163), Wildrye, Virginia (cool season) (0.648), Fowl manna grass (0.003), Switchgrass (VNS) (0.049), Bluegrass, Fowl (0.115), Bulrush, green (Dark green) (0.012), Woolgrass (0.003), Indiangrass (local or vns) (0.057), Milkweed, Swamp (Marsh) (0.028), Joe-Pye Weed, Spotted (Spotted Trumpetweed) (0.001), Sneezeweed (0.052), Great St Johns Wort (Giant) (0.043), Cardinal Flower (0.001), Lobelia, great blue (0.001), Seedbox (0.006), Loosestrife, winged (0.003), Monkeyflower, allegheny (Square-stemmed) (0.003), Obedident Plant (False Drangonhead) (0.001), Susan, Sweet black-eyed (Sweet, Fragrant Coneflower) (0.016), Susan, Brown-eyed (0.12), Cup Plant (0.019), Aster, New England (0.01), Vervain, Blue (0.088), Ironweed (0.034), Alexander, Golden (0.124)









IA CP25 Diversity Mesic Prairie 20/20 Mix



NOW WITH MORE DIVERSITY! This 45 species CP25 mix has 20 grass seeds and 20 forb seeds per square foot.

Includes (#s/ac): Bluestem, Big (VNS) (0.681), Sideoats grama (local, vns) (0.454), Sedge, Prairie Oval (Shortbeak Sedge) (0.009), Sedge, Fox (0.095), Wildrye, Virginia (cool season) (0.324), Junegrass, Prairie (0.041), Switchgrass (VNS) (0.194), Bluestem, Little (VNS) (0.526), Indiangrass (local or vns) (0.454), Dropseed, Tall Composite (Rough) (0.318), Leadplant (0.017), Milkvetch, Canada (0.32), Partridge Pea (0.101), Prairie Clover, White (0.116), Prairie Clover, Purple (0.348), Illinois Bundleflower (Prairie Mimosa) (0.13), Tick-trefoil, Illinois (0.032), Lespedeza, Roundhead (Bushclover) (0.017), Meadow Garlic (Wild Garlic) (0.049), Onion, Autumn (Prairie) (White Prairie) (0.012), Milkweed, Swamp (Marsh) (0.028), Milkweed, Common (0.032), Indigo, Blue Wild (0.018), Coneflower, Pale Purple (0.105), Rattlesnake Master (0.018), Sneezeweed (0.021), Sunflower, Prairie (Stiff, Showy) (0.0051), Sunflower, False (Oxeye) (0.086), Bergamot, Wild (Prairie Beebalm) (0.008), Goldenrod, Stiff (Rigid) (0.007), Beardtongue, Large (shell leaf) (0.039), Obedident Plant (False Drangonhead) (0.006), Cinquefoil, prairie (potentilla) (0.024), Mint, Mountain (Common) (Virginia) (0.002), Coneflower, Grayheaded (Yellow) (0.091), Susan, Blackeyed (0.112), Susan, Sweet black-eyed (Sweet, Fragrant Coneflower) (0.013), Compass Plant (0.041), Goldenrod, Gray (Field) (Old Field) (0.001), Aster, Sky Blue (Azure) (0.007), Aster, Frost (hairy white oldfield) (hairy) (0.039), Vervain, Hoary (0.019), Ironweed (0.023), Culver's Root (0.007), Alexander, Golden (0.074)









IA CP25 Hawkeye Tallgrass Mesic Prairie 20/20 Mix

All IOWA Ecotype Seed. This 38 species CP25 mix has 20 grass seeds and 20 forb seeds per square foot.


Includes (#s/ac): Bluestem, Big (VNS) (1.225), Wildrye, Virginia (cool season) (0.324), Switchgrass (VNS) (0.778), Indiangrass (local or vns) (0.681), Dropseed, Tall Composite (Rough) (0.726), Leadplant (0.017), Milkvetch, Canada (0.16), Partridge Pea (0.101), Prairie Clover, White (0.358), Prairie Clover, Purple (0.378), Illinois Bundleflower (Prairie Mimosa) (0.065), Ticktrefoil, Illinois (0.063), Lespedeza, Roundhead (Bushclover) (0.017), Sagebrush, white (0.011), Milkweed, Swamp (Marsh) (0.057), Milkweed, Common (0.064), Butterfly Milkweed (Iowa) (0.019), Coneflower, Pale Purple (0.157), Rattlesnake Master (0.018), Sunflower, False (Oxeye) (0.13), Blazingstar, Prairie (Thickspike) (0.012), Bergamot, Wild (Prairie Beebalm) (0.012), Goldenrod, Stiff (Rigid) (0.02), Beardtongue, Foxglove (Smooth penstemon) (0.031), Beardtongue, Large (shell leaf) (0.058), Obedident Plant (False Drangonhead) (0.012), Cinquefoil, prairie (potentilla) (0.016), Mint, Mountain (Common) (Virginia) (0.012), Coneflower, Grayheaded (Yellow) (0.091), Susan, Black-eyed (0.115), Susan, Sweet black-eyed (Sweet, Fragrant Coneflower) (0.019), Compass Plant (0.083), Goldenrod, Gray (Field) (Old Field) (0.005), Aster, Sky Blue (Azure) (0.01), Aster, Frost (hairy white oldfield) (hairy) (0.004), Spiderwort, Ohio (Common) (0.003), Ironweed (0.034), Alexander, Golden (0.074)







IA CP25 Cyclone Short Grass Mesic Prairie 20/20 Mix



All IOWA Ecotype Seed. This 41 species CP25 mix has 20 grass seeds and 20 forb seeds per square foot.

Includes (#s/ac): Sideoats grama (local, vns) (1.361),

Sedge, Prairie Oval (Shortbeak Sedge) (0.019), Sedge, Pointed Broom (Lance-Fruit Oval) (0.003), Sedge, Fox (0.139), Wildrye, Virginia (cool season) (0.324), Bluestem, Little (VNS) (0.908), Dropseed, Tall Composite (Rough) (0.545), Dropseed, Prairie (0.017), Leadplant (0.017), Milkvetch, Canada (0.16), Partridge Pea (0.101), Prairie Clover, White (0.358), Prairie Clover, Purple (0.378), Illinois Bundleflower (Prairie Mimosa) (0.065), Tick-trefoil, Illinois (0.063), Lespedeza, Roundhead (Bushclover) (0.017), Sagebrush, white (0.011), Milkweed, Swamp (Marsh) (0.057), Milkweed, Common (0.064), Butterfly Milkweed (Iowa) (0.019), Coneflower, Pale Purple (0.157), Rattlesnake Master (0.018), Sunflower, False (Oxeye) (0.13), Blazingstar, Prairie (Thickspike) (0.012), Bergamot, Wild (Prairie Beebalm) (0.012), Goldenrod, Stiff (Rigid) (0.02), Beardtongue, Foxglove (Smooth penstemon) (0.031), Beardtongue, Large (shell leaf) (0.058), Obedident Plant (False Drangonhead) (0.012), Cinquefoil, prairie (potentilla) (0.016), Mint, Mountain (Common) (Virginia) (0.012), Coneflower, Grayheaded (Yellow) (0.091), Susan, Black-eyed (0.115), Susan, Sweet black-eyed (Sweet, Fragrant Coneflower) (0.019), Compass Plant (0.083), Goldenrod, Gray (Field) (Old Field) (0.005), Aster, Sky Blue (Azure) (0.01), Aster, Frost (hairy white oldfield) (hairy) (0.004), Spiderwort, Ohio (Common) (0.003), Ironweed (0.034), Alexander, Golden (0.074)









All IOWA Ecotype CP42 Cyclone/Hawkeye Forb Only mix. This mix contains 20 forb seeds per square foot, 2.226 PLS per acre.

Includes (#s/ac): Leadplant (0.017), Milkvetch, Canada (0.16), Partridge Pea (0.101), Prairie Clover, White (0.358), Prairie Clover, Purple (0.378), Illinois Bundleflower (Prairie Mimosa) (0.065), Tick-trefoil, Illinois (0.063), Lespedeza, Roundhead (Bushclover) (0.017), Sagebrush, white (0.011), Milkweed, Swamp (Marsh) (0.057), Milkweed, Common (0.064), Butterfly Milkweed (Iowa) (0.019), Coneflower, Pale Purple (0.157), Rattlesnake Master (0.018), Sunflower, False (Oxeye) (0.13), Blazingstar, Prairie (Thickspike) (0.012), Bergamot, Wild (Prairie Beebalm) (0.012), Goldenrod, Stiff (Rigid) (0.02), Beardtongue, Foxglove (Smooth penstemon) (0.031), Beardtongue, Large (shell leaf) (0.058), Obedident Plant (False Drangonhead) (0.012), Cinquefoil, prairie (potentilla) (0.016), Mint, Mountain (Common) (Virginia) (0.012), Coneflower, Grayheaded (Yellow) (0.091), Susan, Black-eyed (0.115), Susan, Sweet black-eyed (Sweet, Fragrant Coneflower) (0.019), Compass Plant (0.083), Goldenrod, Gray (Field) (Old Field) (0.005), Aster, Sky Blue (Azure) (0.01), Aster, Frost (hairy white oldfield) (hairy) (0.004), Spiderwort, Ohio (Common) (0.003), Ironweed (0.034), Alexander, Golden (0.074)





IA CP42 Mesic Prairie Pollinator 10/30 Mix




This 44 species native grass mix is designed to meet the Iowa USDA requirements for CP-42 plantings on mesic soils. Mix contains 10 grass seeds and 30 forb seeds per square foot.

Includes (#s/ac): Bluestem, Big (VNS) (0.054), Sideoats grama (local, vns) (0.227), Sedge, Prairie Oval (Shortbeak Sedge) (0.0094), Sedge, troublesome (0.011), Sedge, Fox (0.027), Wildrye, Virginia (cool season) (0.097), Junegrass, Prairie (0.024), Bluestem, Little (VNS) (0.545), Indiangrass (local or vns) (0.045), Dropseed, Tall Composite (Rough) (0.272), Leadplant (0.017), Milkvetch, Canada (0.24), Partridge Pea (0.101), Prairie Clover, White (0.43), Prairie Clover, Purple (0.454), Illinois Bundleflower (Prairie Mimosa) (0.324), Lespedeza, Roundhead (Bushclover) (0.017), Meadow Garlic (Wild Garlic) (0.049), Sagebrush, white (0.021), Milkweed, Swamp (Marsh) (0.028), Milkweed, Common (0.032), Milkweed, Butterfly (Butterflyweed) (0.0063), Indigo, Blue Wild (0.018), Coneflower, Pale Purple (0.052), Rattlesnake Master (0.036), Sneezeweed (0.063), Sunflower, False (Oxeye) (0.108), Alum Root (0.0039), Bergamot, Wild (Prairie Beebalm) (0.019), Evening primrose, Common (0.042), Beardtongue, Foxglove (Smooth penstemon) (0.031), Beardtongue, Large (shell leaf) (0.097), Obedident Plant (False Drangonhead) (0.012), Cinquefoil, prairie (potentilla) (0.018), Mint, Mountain (Common) (Virginia) (0.0031), Coneflower, Grayheaded (Yellow) (0.182), Susan, Black-eyed (0.086), Susan, Sweet black-eyed (Sweet, Fragrant Coneflower) (0.032), Susan, Brown-eyed (0.12), Goldenrod, Gray (Field) (Old Field) (0.0091), Aster, Sky Blue (Azure) (0.017), Aster, Frost (hairy white oldfield) (hairy) (0.0097), Ironweed (0.011), Alexander, Golden (0.124)





IA CP42 Dry Prairie Pollinator 10/30 Mix



This 41 species native grass mix is designed to meet the Iowa USDA requirements for CP-42 plantings on dry soils. Mix contains 10 grass seeds and 30 forb seeds per square foot.

Includes (#s/ac): Sideoats grama (local, vns) (0.227), Blue grama (0.058), Brome, Arctic (Prairie Brome, Kalm's Brome) (0.017), Sedge, Prairie Oval (Shortbeak Sedge) (0.009), Bluestem, Little (VNS) (0.726), Dropseed, Tall Composite (Rough) (0.363), Dropseed, Sand (0.004), Leadplant (0.017), Milkvetch, Canada (0.416), Partridge Pea (0.101), Rattlebox, Little (Arrowhead) (0.182), Prairie Clover, White (0.559), Prairie Clover, Purple (0.59), Illinois Bundleflower (Prairie Mimosa) (0.065), Lespedeza, Roundhead (Bushclover) (0.003), Onion, Autumn (Prairie) (White Prairie) (0.007), Sagebrush, white (0.022), Milkweed, Common (0.032), Milkweed, Butterfly (Butterflyweed) (0.006), Indigo, Blue Wild (0.018), Boneset, False (0.004), Coneflower, Purple (0.083), Sunflower, Prairie (Stiff, Showy) (0.005), Sunflower, False (Oxeye) (0.086), Alum Root (0.008), Blazingstar, Rough (Tall, Button) (0.002), Bergamot, Wild (Prairie Beebalm) (0.019), Evening primrose, Common (0.056), Aster, Stiff (Upland White Goldenrod) (0.004), Goldenrod, Stiff (Rigid) (0.017), Beardtongue, Large (shell leaf) (0.097), Cinquefoil, prairie (potentilla) (0.036), Mint, Narrowleaf Mountain (Slender) (0.004), Coneflower, Grayheaded (Yellow) (0.068), Susan, Blackeyed (0.11), Petunia, Wild (0.005), Aster, Frost (hairy white oldfield) (hairy) (0.039), Aster, Silky (Western Silver Aster) (0.001), Spiderwort, Ohio (Common) (0.003), Vervain, Hoary (0.097), Alexander, Golden (0.05)





IA CP42 Wet Prairie Pollinator 10/30 Mix



This 34 species native grass mix is designed to meet the Iowa USDA requirements for CP-42 plantings on wet soils. Mix contains 10 grass seeds and 30 forb seeds per square foot.

Includes (#s/ac): Bluestem, Big (VNS) (0.272), Sedge, Yellow-fruit (yellow fox) (0.009), Sedge, Bottlebrush (Porcupine Sedge) (0.009), Sedge, shallow (lurid) (0.011), Sedge, Fox (0.082), Wildrye, Virginia (cool season) (0.972), Fowl manna grass (0.007), Marsh Muhly (Upland Timothy) (0.017), Bulrush, green (Dark green) (0.01), Woolgrass (0.002), Tick-trefoil, Showy (Canada) (0.05), Anemone, Canada (0.003), Milkweed, Swamp (Marsh) (0.057), Boneset, Common (0.002), Joe-Pye Weed, Spotted (Spotted Trumpetweed) (0.007), Joe-Pye Weed, Purple (Sweet scented) (0.016), Sneezeweed (0.084), Sunflower, Sawtooth (0.009), Great St Johns Wort (Giant) (0.057), Cardinal Flower (0.002), Lobelia, great blue (0.003), Seedbox (0.008), Loosestrife, winged (0.004), Monkeyflower, allegheny (Square-stemmed) (0.005), Obedident Plant (False Drangonhead) (0.012), Susan, Sweet black-eyed (Sweet, Fragrant Coneflower) (0.032), Susan, Brown-eyed (0.32), Cup Plant (0.019), Dock, Prairie (Prairie Rosinweed) (0.027), Aster, New England (0.012), Spiderwort, Ohio (Common) (0.003), Vervain, Blue (0.056), Ironweed (0.057), Alexander, Golden (0.248)







IA CP42 Savanna Mesic Pollinator 10/30 Mix



This 44 species CP42 Pollinator mix is designed for Mesic soils. It includes 10 grasses and 34 forbs, 10 grass seeds and 30 forbs per square foot.


Includes (#s/ac): Sideoats grama (local, vns) (0.227), Sedge, Prairie Oval (Shortbeak Sedge) (0.009), Sedge, Bottlebrush (Porcupine Sedge) (0.009), Sedge, troublesome (0.011), Sedge, Fox (0.082), Sedge, Eastern Bottlebrush (0.018), Wildrye, Virginia (cool season) (0.324), Junegrass, Prairie (0.007), Bluestem, Little (VNS) (0.39), Dropseed, Tall Composite (Rough) (0.272), Milkvetch, Canada (0.561), Senna, Maryland (0.016), Prairie Clover, White (0.502), Prairie Clover, Purple (0.529), Onion, Autumn (Prairie) (White Prairie) (0.012), Thimbleweed (Candle Anemone) (0.0052), Columbine (Red Columbine) (0.007), Milkweed, Common (0.032), Milkweed, Butterfly (Butterflyweed) (0.006), Bellflower, Tall (American) (0.003), Coreopsis, Tall (tickseed) (0.01), Coneflower, Purple (0.083), Rattlesnake Master (0.018), Tall Thoroughwort (Tall Boneset) (0.011), Joe-Pye Weed, Purple (Sweet scented) (0.01), Gentain, Pale (Yellow) (Cream) (0.019), Bottle Gentian (Closed) (0.002), Sunflower, False (Oxeye) (0.216), Blazingstar, Prairie (Thickspike) (0.012), Bergamot, Wild (Prairie Beebalm) (0.078), Evening primrose, Common (0.03), Wild quinine (Feverview) (0.019), Obedident Plant (False Drangonhead) (0.006), Cinquefoil, prairie (potentilla) (0.041), Susan, Black-eyed (0.089), Golden Glow, Wild (cutleaf conefl, Green coneflTall Conefl) (0.01), Susan, Brown-eyed (0.144), Rosinweed (0.023), Dock, Prairie (Prairie Rosinweed) (0.027), Aster, Smooth Blue (0.025), Spiderwort, Ohio (Common) (0.003), Vervain, Hoary (0.194), Culver's Root (0.007), Alexander, Golden (0.124)







IA CP42 Mesic Prairie Pollinator 20/20 Mix



This 44 species native grass mix is designed to meet the Iowa USDA requirements for Pollinator plantings on Mesic soils. Mix contains 20 grass seeds and 20 forb seeds per square foot.

Includes (#s/ac): Bluestem, Big (VNS) (0.109), Sideoats grama (local, vns) (0.681), Sedge, Prairie Oval (Shortbeak Sedge) (0.0094), Sedge, troublesome (0.011), Sedge, Fox (0.091), Wildrye, Virginia (cool season) (0.097), Junegrass, Prairie (0.027), Bluestem, Little (VNS) (1.089), Indiangrass (local or vns) (0.091), Dropseed, Tall Composite (Rough) (0.545), Leadplant (0.017), Milkvetch, Canada (0.08), Partridge Pea (0.101), Rattlebox, Little (Arrowhead) (0.121), Prairie Clover, White (0.287), Prairie Clover, Purple (0.303), Illinois Bundleflower (Prairie Mimosa) (0.065), Lespedeza, Roundhead (Bushclover) (0.0034), Meadow Garlic (Wild Garlic) (0.049), Milkweed, Swamp (Marsh) (0.028), Milkweed, Common (0.032), Milkweed, Butterfly (Butterflyweed) (0.0063), Indigo, Blue Wild (0.018), Coneflower, Pale Purple (0.052), Rattlesnake Master (0.036), Sneezeweed (0.031), Sunflower, False (Oxeye) (0.086), Alum Root (0.0058), Bergamot, Wild (Prairie Beebalm) (0.016), Evening primrose, Common (0.021), Beardtongue, Foxglove (Smooth penstemon) (0.031), Beardtongue, Large (shell leaf) (0.058), Obedident Plant (False Drangonhead) (0.0062), Cinquefoil, prairie (potentilla) (0.022), Coneflower, Grayheaded (Yellow) (0.045), Susan, Black-eyed (0.086), Susan, Sweet black-eyed (Sweet, Fragrant Coneflower) (0.0032), Compass Plant (0.041), Goldenrod, Gray (Field) (Old Field) (0.0091), Aster, Smooth Blue (0.0099), Aster, Sky Blue (Azure) (0.0068), Ironweed (0.011), Culver's Root (0.0051), Alexander, Golden (0.05)







IA CP42 Wet Prairie Pollinator 20/20 Mix



This 38 species native grass mix is designed to meet the Iowa USDA requirements for Pollinator plantings on wet soils. Mix contains 20 grass seeds and 20 forb seeds per square foot.

Includes (#s/ac): Bluestem, Big (VNS) (0.272), Sedge, Yellow-fruit (yellow fox) (0.03), Sedge, Bottlebrush (Porcupine Sedge) (0.009), Sedge, shallow (lurid) (0.011), Sedge, Fox (0.163), Wildrye, Virginia (cool season) (0.972), Fowl manna grass (0.007), Marsh Muhly (Upland Timothy) (0.034), Bluegrass, Fowl (0.042), Bulrush, green (Dark green) (0.023), Woolgrass (0.005), Tick-trefoil, Showy (Canada) (0.005), Anemone, Canada (0.003), Milkweed, Swamp (Marsh) (0.028), Milkweed, Common (0.032), Boneset, Common (0.001), Joe-Pye Weed, Spotted (Spotted Trumpetweed) (0.003), Joe-Pye Weed, Purple (Sweet scented) (0.003), Sneezeweed (0.052), Sunflower, Sawtooth (0.002), Great St Johns Wort (Giant) (0.036), Cardinal Flower (0.001), Lobelia, great blue (0.002), Seedbox (0.005), Loosestrife, winged (0.002), Monkeyflower, allegheny (Square-stemmed) (0.002), Obedident Plant (False Drangonhead) (0.012), Golden Glow, Wild (cutleaf conefl, Green coneflTall Conefl) (0.097), Susan, Sweet black-eyed (Sweet, Fragrant Coneflower) (0.032), Susan, Brown-eyed (0.2), Cup Plant (0.019), Dock, Prairie (Prairie Rosinweed) (0.027), Aster, New England (0.004), Spiderwort, Ohio (Common) (0.003), Vervain, Blue (0.059), Ironweed (0.057), Culver's Root (0.002), Alexander, Golden (0.124)







IA CP42 Dry Prairie Pollinator 20/20 Mix



This 35 species native grass mix is designed to meet the Iowa USDA requirements for Pollinator plantings on dry soils. Mix contains 20 grass seeds and 20 forb seeds per square foot.

Includes (#s/ac): Sideoats grama (local, vns) (0.454), Blue grama (0.068), Brome, Arctic (Prairie Brome, Kalm's Brome) (0.017), Sedge, Prairie Oval (Shortbeak Sedge) (0.009), Bluestem, Little (VNS) (0.908), Dropseed, Tall Composite (Rough) (0.622), Dropseed, Sand (0.047), Leadplant (0.017), Milkvetch, Canada (0.16), Partridge Pea (0.101), Rattlebox, Little (Arrowhead) (0.121), Prairie Clover, White (0.43), Prairie Clover, Purple (0.454), Illinois Bundleflower (Prairie Mimosa) (0.065), Lespedeza, Roundhead (Bushclover) (0.003), Onion, Autumn (Prairie) (White Prairie) (0.012), Sagebrush, white (0.019), Milkweed, Common (0.032), Milkweed, Butterfly (Butterflyweed) (0.006), Indigo, Blue Wild (0.018), Coneflower, Purple (0.083), Sunflower, False (Oxeye) (0.086), Alum Root (0.008), Blazingstar, Rough (Tall, Button) (0.002), Bergamot, Wild (Prairie Beebalm) (0.019), Evening primrose, Common (0.015), Aster, Stiff (Upland White Goldenrod) (0.004), Goldenrod, Stiff (Rigid) (0.033), Beardtongue, Large (shell leaf) (0.097), Coneflower, Grayheaded (Yellow) (0.068), Susan, Blackeyed (0.092), Petunia, Wild (0.005), Aster, Frost (hairy white oldfield) (hairy) (0.019), Vervain, Hoary (0.097), Alexander, Golden (0.062)











This 27 species native grass mix is designed to meet the Iowa USDA requirements for Pollinator plantings on Mesic soils. Mix contains 20 grass seeds and 20 forb seeds per square foot.

Includes (#s/ac): Bluestem, Big (VNS) (0.136), Sideoats grama (local, vns) (0.908), Sedge, Fox (0.129), Wildrye, Virginia (cool season) (0.162), Bluestem, Little (VNS) (1.089), Indiangrass (local or vns) (0.113), Dropseed, Tall Composite (Rough) (0.545), Lespedeza, Roundhead (Bushclover) (0.034), Hyssop, Fragrant Giant(anise) (Blue Giant) (0.106), Onion, Autumn (Prairie) (White Prairie) (0.05), Milkweed, Swamp (Marsh) (0.057), Milkweed, Common (0.064), Milkweed, Butterfly (Butterflyweed) (0.032), Gentain, Pale (Yellow) (Cream) (0.0097), Bergamot, Wild (Prairie Beebalm) (0.019), Goldenrod, Stiff (Rigid) (0.0066), Beardtongue, Foxglove (Smooth penstemon) (0.066), Beardtongue, Large (shell leaf) (0.097), Obedident Plant (False Drangonhead) (0.025), Cinquefoil, prairie (potentilla) (0.036), Mint, Mountain (Common) (Virginia) (0.0062), Aster, New England (0.0041), Vervain, Blue (0.088), Vervain, Hoary (0.049), Culver's Root (0.01), Alexander, Heart-leaved (0.023), Alexander, Golden (0.198)









IA CP42 EQIP/CSP Monarch Mesic Prairie Pollinator 10/30 Mix

All IOWA Ecotype. This 47 species mix is designed for the EQIP/CSP Monarch Pollinator program on mesic soils. This mix has 10 grass seeds and 30 forb seeds per square foot.

Includes (#s/ac): Sideoats grama (local, vns) (0.227), Sedge, Prairie Oval (Shortbeak Sedge) (0.009), Sedge, troublesome (0.011), Sedge, Fox (0.082), Wildrye, Virginia (cool season) (0.097), Bluestem, Little (VNS) (0.545), Dropseed, Tall Composite (Rough) (0.286), Leadplant (0.017), Milkvetch, Canada (0.08), Prairie Clover, White (0.322), Prairie Clover, Purple (0.454), Tick-trefoil, Illinois (0.063), Meadow Garlic (Wild Garlic) (0.049), Onion, Autumn (Prairie) (White Prairie) (0.025), Sagebrush, white (0.011), Milkweed, Swamp (Marsh) (0.17), Milkweed, Common (0.127), Butterfly Milkweed (Iowa) (0.063), Coneflower, Pale Purple (0.105), Rattlesnake Master (0.018), Tall Thoroughwort (Tall Boneset) (0.005), Joe-Pye Weed, Purple (Sweet scented) (0.006), Gentain, Pale (Yellow) (Cream) (0.002), Sneezeweed (0.042), Sunflower, False (Oxeye) (0.086), Blazingstar, Rough (Tall, Button) (0.009), Blazingstar, Prairie (Thickspike) (0.025), Bergamot, Wild (Prairie Beebalm) (0.039), Evening primrose, Common (0.045), Goldenrod, Stiff (Rigid) (0.066), Beardtongue, Foxglove (Smooth penstemon) (0.042), Beardtongue, Large (shell leaf) (0.097), Obedident Plant (False Drangonhead) (0.012), Coneflower, Grayheaded (Yellow) (0.272), Susan, Black-eyed (0.104), Susan, Sweet black-eyed (Sweet, Fragrant Coneflower) (0.013), Rosinweed (0.023), Compass Plant (0.041), Cup Plant (0.019), Goldenrod, Gray (Field) (Old Field) (0.018), Goldenrod, Showy (0.006), Aster, Sky Blue (Azure) (0.007), Spiderwort, Ohio (Common) (0.003), Vervain, Hoary (0.049), Ironweed (0.023), Culver's Root (0.01), Alexander, Golden (0.124)







IA CP42 Leopold #1 Monarch Pollinator 10/30 Mix (Dry/Wet/Mesic)

All IOWA Ecotype. This highly diverse CP42 Monarch mix has 72 species with 10 grass seeds and 30 forb seeds per square foot. This mix is appropriate for dry, wet, mesic soil types.

Includes (#s/ac): Bluestem, Big (VNS) (0.136), Sideoats grama (local, vns) (0.681), Sedge, Prairie Oval (Shortbeak Sedge) (0.019), Sedge, Fox (0.014), Wildrye, Virginia (cool season) (0.13), Bluestem, Little (VNS) (0.908), Indiangrass (local or vns) (0.113), Dropseed, Tall Composite (Rough) (0.144), Dropseed, Prairie (0.002), Leadplant (0.009), Milkvetch, Canada (0.192), Indigo, White Wild (0.016), Partridge Pea (0.101), Rattlebox, Little (Arrowhead) (0.151), Prairie Clover, White (0.322), Prairie Clover, Purple (0.34), Illinois Bundleflower (Prairie Mimosa) (0.13), Tick-trefoil, Showy (Canada) (0.01), Tick-trefoil, Illinois (0.013), Lespedeza, Roundhead (Bushclover) (0.007), Meadow Garlic (Wild Garlic) (0.049), Onion, Autumn (Prairie) (White Prairie) (0.012), Thimbleweed, Tall (0.003), Sagebrush, white (0.011), Milkweed, Swamp (Marsh) (0.153), Milkweed, Common (0.191), Butterfly Milkweed (Iowa) (0.019), Coreopsis, Tall (tickseed) (0.004), Coneflower, Pale Purple (0.105), Rattlesnake Master (0.018), Tall Thoroughwort (Tall Boneset) (0.002), Boneset, Common (0.001), Joe-Pye Weed, Spotted (Spotted Trumpetweed) (0.001), Joe-Pye Weed, Purple (Sweet scented) (0.002), Sneezeweed (0.021), Sunflower, Prairie (Stiff, Showy) (0.01), Sunflower, False (Oxeye) (0.108), Great St Johns Wort (Giant) (0.007), Blazingstar, Prairie (Thickspike) (0.012), Lobelia, great blue (0.005), Seedbox (0.001), Loosestrife, winged (0.001), Monkeyflower, allegheny (Square-stemmed) (0.001), Bergamot, Wild (Prairie Beebalm) (0.019), Evening primrose, Common (0.045), Aster, Stiff (Upland White Goldenrod) (0.004), Goldenrod, Stiff (Rigid) (0.066), Wild quinine (Feverview) (0.008), Beardtongue, Foxglove (Smooth penstemon) (0.021), Beardtongue, Large (shell leaf) (0.058), Obedident Plant (False Drangonhead) (0.006), Mint, Mountain (Common) (Virginia) (0.015), Coneflower, Grayheaded (Yellow) (0.109), Susan, Black-eyed (0.098), Susan, Sweet black-eyed (Sweet, Fragrant Coneflower) (0.013), Susan, Brown-eyed (0.04), Petunia, Wild (0.01), Rosinweed (0.023), Compass Plant (0.041), Cup Plant (0.019), Dock, Prairie (Prairie Rosinweed) (0.027), Goldenrod, Gray (Field) (Old Field) (0.012), Aster, Smooth Blue (0.005), Aster, New England (0.004), Aster, Sky Blue (Azure) (0.003), Spiderwort, Ohio (Common) (0.003), Vervain, Blue (0.029), Vervain, Hoary (0.049), Ironweed (0.011), Culver's Root (0.005), Alexander, Heartleaved (0.005), Alexander, Golden (0.124)







IA CP43 20/20 Mix (Prairie Strips)

This 36 species native grass mix is designed to meet the Iowa USDA requirements for CP43- Prairie Strip Program. Mix contains 20 grass seeds and 20 forb seeds per square foot.

Includes (#s/ac): Bluestem, Big (VNS) (0.34), Sideoats grama (local, vns) (0.681), Sedge, Fox (0.136), Wildrye, Virginia (cool season) (0.648), Switchgrass (VNS) (0.292), Bluestem, Little (VNS) (0.545), Indiangrass (local or vns) (0.284), Dropseed, Tall Composite (Rough) (0.499), Milkvetch, Canada (0.112), Prairie Clover, White (0.43), Prairie Clover, Purple (0.454), Illinois Bundleflower (Prairie Mimosa) (0.065), Tick-trefoil, Showy (Canada) (0.05), Tick-trefoil, Illinois (0.032), Lespedeza, Roundhead (Bushclover) (0.007), Milkweed, Swamp (Marsh) (0.028), Milkweed, Common (0.032), Butterfly Milkweed (Iowa) (0.006), Coneflower, Pale Purple (0.157), Rattlesnake Master (0.036), Sneezeweed (0.031), Sunflower, Prairie (Stiff, Showy) (0.005), Sunflower, False (Oxeye) (0.13), Bergamot, Wild (Prairie Beebalm) (0.019), Beardtongue, Foxglove (Smooth penstemon) (0.031), Beardtongue, Large (shell leaf) (0.058), Obedident Plant (False Drangonhead) (0.012), Cinquefoil, prairie (potentilla) (0.018), Coneflower, Grayheaded (Yellow) (0.073), Susan, Blackeyed (0.118), Susan, Sweet black-eyed (Sweet, Fragrant Coneflower) (0.006), Compass Plant (0.041), Aster, Sky Blue (Azure) (0.017), Vervain, Hoary (0.078), Ironweed (0.034), Alexander, Golden (0.074)









IA CP23 Standard Mesic 30/10 Mix

Here is a perfect mix for your CP23 or 23a mix also CP28 Wetlands. This 25 species mix has 30 grass seeds and 10 forb seeds per square foot. This mix should be used on sites that do not flood every year. On CP23 sites- use this mix on the portion of the field that is less prone to flood.

Includes (#s/ac): Bluestem, Big (VNS) (1.089), Sedge, Yellow-fruit (yellow fox) (0.045), Sedge, Fox (0.218), Wildrye, Virginia (cool season) (0.972), Switchgrass (VNS) (0.778), Indiangrass (local or vns) (0.681), Dropseed, Tall Composite (Rough) (0.726), Milkweed, Swamp (Marsh) (0.057), Coreopsis, Tall (tickseed) (0.01), Rattlesnake Master (0.018), Gentain, Pale (Yellow) (Cream) (0.001), Sneezeweed (0.046), Great St Johns Wort (Giant) (0.021), Loosestrife, winged (0.001), Wild quinine (Feverview) (0.019), Beardtongue, Foxglove (Smooth penstemon) (0.006), Obedident Plant (False Drangonhead) (0.012), Mint, Mountain (Common) (Virginia) (0.004), Coneflower, Grayheaded (Yellow) (0.091), Susan, Black-eyed (0.059), Susan, Sweet black-eyed (Sweet, Fragrant Coneflower) (0.019), Cup Plant (0.019), Vervain, Blue (0.006), Ironweed (0.011), Alexander, Golden (0.05)









IA CP23 Flood Prone Wet 30/10 Mix

This 29 species mix is designed to meet NRCS standards for CP23. Use this mix on the areas of the field that tend to flood most often. Mix has 30 grass seeds and 10 forb seeds per square foot.

Includes (#s/ac): Bluestem, Big (VNS) (1.089), Sedge, Yellow-fruit (yellow fox) (0.061), Sedge, Bottlebrush (Porcupine Sedge) (0.023), Sedge, Fox (0.218), Wildrye, Virginia (cool season) (0.972), Fowl manna grass (0.009), Marsh Muhly (Upland Timothy) (0.009), Switchgrass (VNS) (0.778), Bluegrass, Fowl (0.021), Bulrush, green (Dark green) (0.024), Woolgrass (0.006), Indiangrass (local or vns) (0.227), Milkweed, Swamp (Marsh) (0.057), Joe-Pye Weed, Spotted (Spotted Trumpetweed) (0.006), Sneezeweed (0.01), Sunflower, Sawtooth (0.002), Great St Johns Wort (Giant) (0.026), Cardinal Flower (0.003), Lobelia, great blue (0.003), Monkeyflower, allegheny (Square-stemmed) (0.002), Obedident Plant (False Drangonhead) (0.006), Mint, Mountain (Common) (Virginia) (0.001), Susan, Brown-eyed (0.16), Cup Plant (0.019), Aster, New England (0.001), Vervain, Blue (0.029), Ironweed (0.002), Culver's Root (0.003), Alexander, Golden (0.124)









IA CP23 Flood Prone Grasses Only Mix

This 10 species CP23 mix is a GRASSES ONLY mix. It contains 40 grass seeds per square foot, 5.156 LBs of PLS per acre.

Includes (#s/ac): Bluestem, Big (VNS) (1.361), Sedge, Yellow-fruit (yellow fox) (0.03), Sedge, Bottlebrush (Porcupine Sedge) (0.009), Sedge, Fox (0.218), Wildrye, Virginia (cool season) (0.972), Fowl manna grass (0.009), Switchgrass (VNS) (0.778), Bluegrass, Fowl (0.168), Indiangrass (local or vns) (0.885), Dropseed, Tall Composite (Rough) (0.726)

IA CP23 Hydric 30/10 Mix

This 31 species mix is designed to meet NRCS standards for CP23. Mix has 30 grass seeds and 10 forb seeds per square foot.

Includes (#s/ac): Bluestem, Big (VNS) (0.817), Sedge, Yellow-fruit (yellow fox) (0.015), Sedge, Bebb's (0.008), Sedge, Bottlebrush (Porcupine Sedge) (0.009), Sedge, shallow (lurid) (0.011), Sedge, Fox (0.218), Wildrye, Virginia (cool season) (0.972), Fowl manna grass (0.009), Rice Cut Grass (0.004), Marsh Muhly (Upland Timothy) (0.034), Bluegrass, Fowl (0.108), Bulrush, green (Dark green) (0.03), Woolgrass (0.008), Prairie Cord grass (0.021), Milkweed, Swamp (Marsh) (0.028), Marigold, Nodding Bur (Nodding Beggartick) (0.006), Boneset, Common (0.002), Joe-Pye Weed, Spotted (Spotted Trumpetweed) (0.003), Sneezeweed (0.021), Sunflower, Sawtooth (0.009), Great St Johns Wort (Giant) (0.021), Cardinal Flower (0.003), Lobelia, great blue (0.003), Seedbox (0.004), Loosestrife, winged (0.001), Monkeyflower, allegheny (Square-stemmed) (0.002), Goldenrod, Riddell (0.003), Cup Plant (0.019), Aster, New England (0.004), Vervain, Blue (0.029), Ironweed (0.023)











IA CP23 Hydric Grasses Only Mix

This 13 species CP23 GRASSES ONLY mix is designed for Hydric soils. Mix has 40 grass seeds per square foot.

Includes (#s/ac): Bluestem, Big (VNS) (1.089), Sedge, Yellow-fruit (yellow fox) (0.121), Sedge, Bebb's (0.02), Sedge, Bottlebrush (Porcupine Sedge) (0.023), Sedge, troublesome (0.027), Sedge, Pointed Broom (Lance-Fruit Oval) (0.008), Sedge, Fox (0.218), Fowl manna grass (0.034), Marsh Muhly (Upland Timothy) (0.009), Bluegrass, Fowl (0.168), Bulrush, green (Dark green) (0.028), Woolgrass (0.013), Prairie Cord grass (0.041)

IA Mid-Contract Management Forb Mix #1

Enhance CRP acres with additional native flowers and legumes! Improves nesting cover, brood rearing cover, adds diversity! 10 forb seeds per square foot.

Includes (#s/ac): Milkvetch, Canada (0.16), Partridge Pea (0.101), Rattlebox, Little (Arrowhead) (0.061), Prairie Clover, White (0.215), Prairie Clover, Purple (0.227), Illinois Bundleflower (Prairie Mimosa) (0.324), Tick-trefoil, Showy (Canada) (0.025), Tick-trefoil, Illinois (0.032), Lespedeza, Roundhead (Bushclover) (0.034), Sunflower, False (Oxeye) (0.108), Bergamot, Wild (Prairie Beebalm) (0.019), Evening primrose, Common (0.009), Beardtongue, Large (shell leaf) (0.058), Coneflower, Grayheaded (Yellow) (0.136), Susan, Black-eyed (0.044), Ironweed (0.057), Alexander, Golden (0.062)









IA CP42 Leopold #2 Monarch Pollinator 10/40 Mix (Dry/Wet/Mesic)

This all-IOWA ecotype seed mix is a highly diverse CP42 mix that contains 90 species 10 grass seed per square foot/40 forb seed per square foot. This mix is appropriate for dry, wet, mesic soil types.

Includes (#s/ac): Bluestem, Big (VNS) (0.136), Sideoats grama (local, vns) (0.681), Sedge, Prairie Oval (Shortbeak Sedge) (0.019), Sedge, Fox (0.014), Wildrye, Virginia (cool season) (0.13), Bluestem, Little (VNS) (0.908), Indiangrass (local or vns) (0.113), Dropseed, Tall Composite (Rough) (0.144), Dropseed, Prairie (0.002), Leadplant (0.009), Milkvetch, Canada (0.24), Indigo, White Wild (0.016), Indigo, Cream Wild(Longbract Wild Indigo) (Cream False) (0.002), Partridge Pea (0.101), Prairie Clover, White (0.43), Prairie Clover, Purple (0.454), Illinois Bundleflower (Prairie Mimosa) (0.13), Tick-trefoil, Showy (Canada) (0.01), Tick-trefoil, Illinois (0.013), Lespedeza, Roundhead (Bushclover) (0.007), Meadow Garlic (Wild Garlic) (0.049), Onion, Autumn (Prairie) (White Prairie) (0.012), Thimbleweed (Candle Anemone) (0.003), Thimbleweed, Tall (0.003), Sagebrush, white (0.022), Milkweed, Swamp (Marsh) (0.216), Milkweed, Prairie (Sullivant's milkweed) (0.006), Milkweed, Common (0.191), Butterfly Milkweed (Iowa) (0.032), Milkweed, Whorled (0.002), Boneset, False (0.003), Bellflower, Tall (American) (0.003), Coreopsis, Tall (tickseed) (0.004), Coneflower, Pale Purple (0.105), Rattlesnake Master (0.018), Tall Thoroughwort (Tall Boneset) (0.002), Boneset, Common (0.001), Spurge, flowering (0.003), Joe-Pye Weed, Spotted (Spotted Trumpetweed) (0.001), Joe-Pye Weed, Purple (Sweet scented) (0.002), Gentain, Pale (Yellow) (Cream) (0.002), Bottle Gentian (Closed) (0.001), Sneezeweed (0.042), Sunflower, Sawtooth (0.004), Sunflower, Prairie (Stiff, Showy) (0.01), Sunflower, False (Oxeye) (0.216), Great St Johns Wort (Giant) (0.007), Blazingstar, Rough (Tall, Button) (0.009), Blazingstar, Meadow (Rocky Mountain) (0.003), Blazingstar, Prairie (Thickspike) (0.012), Cardinal Flower (0.001), Lobelia, great blue (0.008), Seedbox (0.002), Loosestrife, winged (0.001), Monkeyflower, allegheny (Square-stemmed) (0.001), Bergamot, Wild (Prairie Beebalm) (0.019), Evening primrose, Common (0.045), Aster, Stiff (Upland White Goldenrod) (0.004), Goldenrod, Stiff (Rigid) (0.066), Wild quinine (Feverview) (0.008), Beardtongue, Foxglove (Smooth penstemon) (0.042), Beardtongue, Large (shell leaf) (0.058), Obedident Plant (False Drangonhead) (0.006), Mint, Narrowleaf Mountain (Slender) (0.001), Mint, Mountain (Common) (Virginia) (0.019), Coneflower, Grayheaded (Yellow) (0.136), Susan, Black-eyed (0.104), Golden Glow, Wild (cutleaf conefl, Green coneflTall Conefl) (0.006), Susan, Sweet black-eyed (Sweet, Fragrant Coneflower) (0.019), Susan, Brown-eyed (0.04), Petunia, Wild (0.01), Rosinweed (0.023), Compass Plant (0.041), Cup Plant (0.019), Dock, Prairie (Prairie Rosinweed) (0.027), Goldenrod, Gray (Field) (Old Field) (0.018), Goldenrod, Showy (0.009), Aster, Smooth Blue (0.005), Aster, Calico (0.001), Aster, New England (0.004), Aster, Sky Blue (Azure) (0.003), Aster, Silky (Western Silver Aster) (0.001), Longbract Spiderwort (Prairie) (0.003), Spiderwort, Ohio (Common) (0.003), Vervain, Blue (0.029), Vervain, Hoary (0.049), Ironweed (0.023), Culver's Root (0.009), Alexander, Heart-leaved (0.005), Alexander, Golden (0.124)







IA CP42 Leopold #2 Monarch Pollinator FORB ONLY Mix

All IOWA Ecotype. This 81 species CP42 Leopold #2 mix is a FORB ONLY mix that has 40 forb seeds per square foot, 3.388 pound of Pure Live Seeds per acre.

Includes (#s/ac): Leadplant (0.009), Milkvetch, Canada (0.24), Indigo, White Wild (0.016), Indigo, Cream Wild(Longbract Wild Indigo) (Cream False) (0.002), Partridge Pea (0.101), Prairie Clover, White (0.43), Prairie Clover, Purple (0.454), Illinois Bundleflower (Prairie Mimosa) (0.13), Tick-trefoil, Showy (Canada) (0.01), Tick-trefoil, Illinois (0.013), Lespedeza, Roundhead (Bushclover) (0.007), Meadow Garlic (Wild Garlic) (0.049), Onion, Autumn (Prairie) (White Prairie) (0.012), Thimbleweed (Candle Anemone) (0.003), Thimbleweed, Tall (0.003), Sagebrush, white (0.022), Milkweed, Swamp (Marsh) (0.216), Milkweed, Prairie (Sullivant's milkweed) (0.006), Milkweed, Common (0.191), Butterfly Milkweed (Iowa) (0.032), Milkweed, Whorled (0.002), Boneset, False (0.003), Bellflower, Tall (American) (0.003), Coreopsis, Tall (tickseed) (0.004), Coneflower, Pale Purple (0.105), Rattlesnake Master (0.018), Tall Thoroughwort (Tall Boneset) (0.002), Boneset, Common (0.001), Spurge, flowering (0.003), Joe-Pye Weed, Spotted (Spotted Trumpetweed) (0.001), Joe-Pye Weed, Purple (Sweet scented) (0.002), Gentain, Pale (Yellow) (Cream) (0.002), Bottle Gentian (Closed) (0.001), Sneezeweed (0.042), Sunflower, Sawtooth (0.004), Sunflower, Prairie (Stiff, Showy) (0.01), Sunflower, False (Oxeye) (0.216), Great St Johns Wort (Giant) (0.007), Blazingstar, Rough (Tall, Button) (0.009), Blazingstar, Meadow (Rocky Mountain) (0.003), Blazingstar, Prairie (Thickspike) (0.012), Cardinal Flower (0.001), Lobelia, great blue (0.008), Seedbox (0.002), Loosestrife, winged (0.001), Monkeyflower, allegheny (Square-stemmed) (0.001), Bergamot, Wild (Prairie Beebalm) (0.019), Evening primrose, Common (0.045), Aster, Stiff (Upland White Goldenrod) (0.004), Goldenrod, Stiff (Rigid) (0.066), Wild quinine (Feverview) (0.008), Beardtongue, Foxglove (Smooth penstemon) (0.042), Beardtongue, Large (shell leaf) (0.058), Obedident Plant (False Drangonhead) (0.006), Mint, Narrowleaf Mountain (Slender) (0.001), Mint, Mountain (Common) (Virginia) (0.019), Coneflower, Grayheaded (Yellow) (0.136), Susan, Black-eyed (0.104), Golden Glow, Wild (cutleaf conefl, Green coneflTall Conefl) (0.006), Susan, Sweet black-eyed (Sweet, Fragrant Coneflower) (0.019), Susan, Brown-eyed (0.04), Petunia, Wild (0.01), Rosinweed (0.023), Compass Plant (0.041), Cup Plant (0.019), Dock, Prairie (Prairie Rosinweed) (0.027), Goldenrod, Gray (Field) (Old Field) (0.018), Goldenrod, Showy (0.009), Aster, Smooth Blue (0.005), Aster, Calico (0.001), Aster, New England (0.004), Aster, Sky Blue (Azure) (0.003), Aster, Silky (Western Silver Aster) (0.001), Longbract Spiderwort (Prairie) (0.003), Spiderwort, Ohio (Common) (0.003), Vervain, Blue (0.029), Vervain, Hoary (0.049), Ironweed (0.023), Culver's Root (0.009), Alexander, Heart-leaved (0.005), Alexander, Golden (0.124)







IA CP42 EQIP/CSP Ada Hayden Monarch Pollinator 10/40 Mix

All IOWA Ecotype, 89 species! This CP 42 EQIP/CSP Monarch Pollinator mix has 7 grasses and 82 forbs included in the mix, 10 grass seeds and 40 forb seeds per square foot.

Includes (#s/ac): Sideoats grama (local, vns) (0.227), Sedge, Prairie Oval (Shortbeak Sedge) (0.009), Sedge, troublesome (0.011), Sedge, Fox (0.082), Wildrye, Virginia (cool season) (0.097), Bluestem, Little (VNS) (0.545), Dropseed, Tall Composite (Rough) (0.286), Leadplant (0.009), Milkvetch, Canada (0.16), Indigo, White Wild (0.016), Senna, Maryland (0.032), Partridge Pea (0.101), Rattlebox, Little (Arrowhead) (0.303), Prairie Clover, White (0.43), Prairie Clover, Purple (0.454), Illinois Bundleflower (Prairie Mimosa) (0.13), Tick-trefoil, Showy (Canada) (0.01), Tick-trefoil, Illinois (0.006), Lespedeza, Roundhead (Bushclover) (0.007), Meadow Garlic (Wild Garlic) (0.049), Onion, Autumn (Prairie) (White Prairie) (0.012), Thimbleweed (Candle Anemone) (0.003), Thimbleweed, Tall (0.001), Sagebrush, white (0.011), Milkweed, Swamp (Marsh) (0.216), Milkweed, Prairie (Sullivant's milkweed) (0.006), Milkweed, Common (0.191), Butterfly Milkweed (Iowa) (0.032), Milkweed, Whorled (0.002), Boneset, False (0.004), Bellflower, Tall (American) (0.002), Coreopsis, Tall (tickseed) (0.006), Coneflower, Pale Purple (0.105), Rattlesnake Master (0.018), Tall Thoroughwort (Tall Boneset) (0.003), Boneset, Common (0.001), Spurge, flowering (0.003), Joe-Pye Weed, Spotted (Spotted Trumpetweed) (0.001), Joe-Pve Weed, Purple (Sweet scented) (0.003), Gentain, Pale (Yellow) (Cream) (0.019), Sneezeweed (0.042), Sunflower, Sawtooth (0.002), Sunflower, Prairie (Stiff, Showy) (0.01), Sunflower, False (Oxeye) (0.216), Alum Root (0.002), Great St Johns Wort (Giant) (0.007), Blazingstar, Rough (Tall, Button) (0.009), Blazingstar, Meadow (Rocky Mountain) (0.003), Blazingstar, Prairie (Thickspike) (0.012), Cardinal Flower (0.001), Lobelia, great blue (0.006), Seedbox (0.001), Loosestrife, winged (0.001), Monkeyflower, allegheny (Square-stemmed) (0.001), Bergamot, Wild (Prairie Beebalm) (0.019), Evening primrose, Common (0.03), Aster, Stiff (Upland White Goldenrod) (0.002), Goldenrod, Stiff (Rigid) (0.1), Wild quinine (Feverview) (0.008), Beardtongue, Foxglove (Smooth penstemon) (0.031), Beardtongue, Large (shell leaf) (0.097), Obedident Plant (False Drangonhead) (0.006), Cinquefoil, prairie (potentilla) (0.012), Mint, Narrowleaf Mountain (Slender) (0.002), Mint, Mountain (Common) (Virginia) (0.012), Coneflower, Grayheaded (Yellow) (0.136), Susan, Black-eyed (0.104), Golden Glow, Wild (cutleaf conefl, Green coneflTall Conefl) (0.006), Susan, Sweet black-eyed (Sweet, Fragrant Coneflower) (0.019), Susan, Brown-eyed (0.16), Petunia, Wild (0.01), Rosinweed (0.023), Compass Plant (0.041), Cup Plant (0.019), Dock, Prairie (Prairie Rosinweed) (0.027), Goldenrod, Gray (Field) (Old Field) (0.018), Goldenrod, Showy (0.009), Aster, Smooth Blue (0.002), Aster, New England (0.002), Aster, Sky Blue (Azure) (0.002), Aster, Frost (hairy white oldfield) (hairy) (0.001), Aster, Silky (Western Silver Aster) (0.002), Spiderwort, Ohio (Common) (0.003), Vervain, Blue (0.029), Vervain, Hoary (0.049), Ironweed (0.023), Culver's Root (0.005), Alexander, Heart-leaved (0.005), Alexander, Golden (0.124)









IA Green Browse Clover Mix

Green Browse clover food plot mix is a fantastic green browse area for deer, turkeys, and insect heaven and brood cover for pheasants. Best management is to mow your green browse food plots in mid to late summer & allow re-growth for fall. You must mow each year!

<u>Includes:</u> All Legumes: Alfalfa .5lb, Alsike Clover 1lb, Ladino clover .75lb, white clover .75lb, Med. Red clover 1.2lb, Partridge Pea 1.75lb.

IA CP33 Quail Shortgrass 30/10 Mix

Will provide excellent food sources as well as a grass stand that will allow birds to move and roam through easily. This 21 species CP33 short grass mix is designed to meet the Iowa USDA requirements for CP33 Shortgrass plantings. Mix has 30 grass seeds and 10 forb seeds per square foot.

Includes (#s/ac): Sideoats grama (local, vns) (0.908), Blue grama (0.136), Brome, Arctic (Prairie Brome, Kalm's Brome) (0.034), Junegrass, Prairie (0.053), Bluestem, Little (VNS) (1.089), Dropseed, Tall Composite (Rough) (0.726), Dropseed, Sand (0.062), Milkvetch, Canada (0.16), Partridge Pea (0.202), Prairie Clover, White (0.215), Prairie Clover, Purple (0.227), Illinois Bundleflower (Prairie Mimosa) (0.324), Tick-trefoil, Showy (Canada) (0.05), Tick-trefoil, Illinois (0.063), Lespedeza, Roundhead (Bushclover) (0.034), Beardtongue, Foxglove (Smooth penstemon) (0.016), Beardtongue, Large (shell leaf) (0.097), Cinquefoil, prairie (potentilla) (0.014), Coneflower, Grayheaded (Yellow) (0.045), Susan, Black-eyed (0.053), Goldenrod, Gray (Field) (Old Field) (0.002)









IA CP33 Quail Tallgrass 20/20 Mix

CP33 Bobwhite/Upland bird Buffer, great for North Iowa. This 22 species CP33 mix is designed to meet the Iowa USDA requirements for CP33 Tallgrass plantings. Mix has 20 grass seeds and 20 forb seeds per square foot. The CP-33 Buffer 20-20 mix is designed for non-highly erodible land or you can plant it on the top of the field or bottom (crossrows).

Includes (#s/ac): Bluestem, Big (VNS) (0.953), Brome, Arctic (Prairie Brome, Kalm's Brome) (0.034), Junegrass, Prairie (0.014), Switchgrass (VNS) (0.778), Indiangrass (local or vns) (0.454), Dropseed, Tall Composite (Rough) (0.726), Dropseed, Sand (0.011), Milkvetch, Canada (0.4), Partridge Pea (0.706), Prairie Clover, White (0.43), Prairie Clover, Purple (0.454), Illinois Bundleflower (Prairie Mimosa) (0.324), Ticktrefoil, Showy (Canada) (0.05), Ticktrefoil, Illinois (0.063), Lespedeza, Roundhead (Bushclover) (0.034), Gentain, Pale (Yellow) (Cream) (0.01), Beardtongue, Foxglove (Smooth penstemon) (0.031), Beardtongue, Large (shell leaf) (0.097), Cinquefoil, prairie (potentilla) (0.024), Coneflower, Grayheaded (Yellow) (0.091), Susan, Blackeyed (0.089), Goldenrod, Gray (Field) (Old Field) (0.014)

IA CP33 Quail Shortgrass 20/20 Mix

This 22 species CP33 short grass mix is designed to meet the Iowa USDA requirements for CP33 Shortgrass plantings. Mix has 20 grass seeds and 20 forb seeds per square foot. The CP-33 Buffer 20-20 mix is designed for non-highly erodible land or you can plant it on the top of the field or bottom (crossrows).

Includes (#s/ac): Sideoats grama (local, vns) (0.681), Blue grama (0.068), Brome, Arctic (Prairie Brome, Kalm's Brome) (0.034), Junegrass, Prairie (0.027), Bluestem, Little (VNS) (1.089), Dropseed, Tall Composite (Rough) (0.545), Dropseed, Sand (0.026), Milkvetch, Canada (0.4), Partridge Pea (0.706), Prairie Clover, White (0.43), Prairie Clover, Purple (0.454), Illinois Bundleflower (Prairie Mimosa) (0.324), Tick-trefoil, Showy (Canada) (0.05), Tick-trefoil, Illinois (0.063), Lespedeza, Roundhead (Bushclover) (0.034), Gentain, Pale (Yellow) (Cream) (0.01), Beardtongue, Foxglove (Smooth penstemon) (0.031), Beardtongue, Large (shell leaf) (0.097), Cinquefoil, prairie (potentilla) (0.024), Coneflower, Grayheaded (Yellow) (0.091), Susan, Black-eyed (0.089), Goldenrod, Gray (Field) (Old Field) (0.014)









IA CP21 Buffer Strip 30/10 Mix

This 24 species mix designed to meet NRCS standards for CP21 Buffer Strips. 30 grass seeds and 10 forb seeds per square foot.

Includes (#s/ac): Bluestem, Big (VNS) (1.089), Sideoats grama (local, vns) (0.454), Sedge, Fox (0.218), Wildrye, Virginia (cool season) (0.648), Switchgrass (VNS) (0.778), Bluestem, Little (VNS) (0.363), Indiangrass (local or vns) (0.454), Dropseed, Tall Composite (Rough) (0.726), Milkvetch, Canada (0.08), Prairie Clover, White (0.143), Prairie Clover, Purple (0.431), Coneflower, Pale Purple (0.052), Sunflower, False (Oxeye) (0.086), Bergamot, Wild (Prairie Beebalm) (0.019), Goldenrod, Stiff (Rigid) (0.01), Beardtongue, Foxglove (Smooth penstemon) (0.01), Beardtongue, Large (shell leaf) (0.039), Obedident Plant (False Drangonhead) (0.012), Coneflower, Grayheaded (Yellow) (0.091), Susan, Blackeyed (0.059), Susan, Sweet black-eyed (Sweet, Fragrant Coneflower) (0.032), Aster, Sky Blue (Azure) (0.003), Ironweed (0.011), Alexander, Golden (0.05)

IA CP21 Grasses Only

This 9 speciesCP21 mix contains GRASSES ONLY. 40 grass seeds per square foot.

Includes (#s/ac): Bluestem, Big (VNS) (1.089), Sideoats grama (local, vns) (0.454), Sedge, Fox (0.218), Wildrye, Virginia (cool season) (0.648), Junegrass, Prairie (0.109), Switchgrass (VNS) (0.778), Bluestem, Little (VNS) (0.545), Indiangrass (local or vns) (0.681), Dropseed, Tall Composite (Rough) (0.726)











IA "Traditional" Tallgrass Mesic Prairie Mix-GRASSES ONLY

Mix contains GRASSES ONLY. This 5 species Tall grass mix is designed for Mesic soils. Mix has 40 grass seeds per square foot.

Includes (#s/ac): Bluestem, Big (VNS) (2.723), Wildrye, Virginia (cool season) (1.296), Switchgrass (VNS) (1.945), Indiangrass (local or vns) (1.815), Dropseed, Tall Composite (Rough) (0.908)

IA Tallgrass Mesic Prairie Mix- GRASSES ONLY

Mix contains GRASSES ONLY. This 8 species Tall grass mix is designed for Mesic soils. Mix has 40 grass seeds per square foot.

Includes (#s/ac): Bluestem, Big (VNS) (1.906), Sedge, Fox (0.109), Wildrye, Virginia (cool season) (0.648), Junegrass, Prairie (0.109), Switchgrass (VNS) (0.778), Wheatgrass, Western (0.379), Indiangrass (local or vns) (1.588), Dropseed, Tall Composite (Rough) (0.726)











IA Shortgrass Dry Prairie Mix- GRASSES ONLY

Mix contains GRASSES ONLY. This 6 species short grass mix is designed for Dry soils. Mix has 40 grass seeds per square foot.

Includes (#s/ac): Sideoats grama (local, vns) (1.361), Blue grama (0.374), Sedge, Fox (0.272), Wildrye, Virginia (cool season) (0.972), Bluestem, Little (VNS) (1.815), Dropseed, Tall Composite (Rough) (0.908)

IA CP2 Standard Mesic Prairie 30/10 Mix

This 15 species mix was designed to meet the 327 Conservation Cover standard for CP2 practices.

Includes (#s/ac): Bluestem, Big (VNS) (0.817), Sideoats grama (local, vns) (0.908), Sedge, Fox (0.218), Wildrye, Virginia (cool season) (0.648), Switchgrass (VNS) (0.778), Bluestem, Little (VNS) (0.363), Indiangrass (local or vns) (0.454), Dropseed, Tall Composite (Rough) (0.726), Milkvetch, Canada (0.16), Prairie Clover, Purple (0.378), Beardtongue, Large (shell leaf) (0.097), Cinquefoil, prairie (potentilla) (0.036), Coneflower, Grayheaded (Yellow) (0.045), Susan, Black-eyed (0.059), Vervain, Hoary (0.049)











IA CP2 Economy Mesic Prairie 30/10 Mix

This 12 species mix designed to meet the 327 Conservation Cover standard for CP2 on mesic sites. 30 grass seeds and 10 forb seeds per square foot. A low-cost solution for your CRP acres.

Includes (#s/ac): Bluestem, Big (VNS) (0.817), Sedge, Fox (0.218), Wildrye, Virginia (cool season) (0.648), Junegrass, Prairie (0.095), Switchgrass (VNS) (0.194), Indiangrass (local or vns) (0.454), Dropseed, Tall Composite (Rough) (0.726), Prairie Clover, Purple (0.151), Hyssop, Fragrant Giant(anise) (Blue Giant) (0.045), Beardtongue, Foxglove (Smooth penstemon) (0.031), Cinquefoil, prairie (potentilla) (0.047), Susan, Black-eyed (0.059)

IA CP2 Short Dry Prairie 30/10 Mix

This 11 species mix designed to meet the 327 Conservation Cover standard for CP2 shortgrass on dry sites. 30 grass seeds and 10 forb seeds per square foot.

Includes (#s/ac): Sideoats grama (local, vns) (1.361), Blue grama (0.272), Sedge, Fox (0.218), Junegrass, Prairie (0.054), Bluestem, Little (VNS) (0.545), Dropseed, Tall Composite (Rough) (0.726), Prairie Clover, White (0.358), Prairie Clover, Purple (0.605), Illinois Bundleflower (Prairie Mimosa) (0.324), Coneflower, Grayheaded (Yellow) (0.091), Susan, Black-eyed (0.059)











IA CP2 Wet Prairie 30/10 Mix

NEW MIX! This 13 species species mix designed to meet the 327 Conservation Cover standard for CP2 on wet sites.30 grass seeds and 10 forb seeds per square foot.

Includes (#s/ac): Bluestem, Big (VNS) (0.817), Sedge, Yellowfruit (yellow fox) (0.091), Sedge, Bottlebrush (Porcupine Sedge) (0.091), Sedge, Fox (0.218), Wildrye, Virginia (cool season) (1.296), Bluegrass, Fowl (0.168), Bulrush, green (Dark green) (0.03), Milkweed, Swamp (Marsh) (0.284), Sneezeweed (0.031), Great St Johns Wort (Giant) (0.029), Seedbox (0.004), Loosestrife, winged (0.002), Vervain, Blue (0.059)

IA Legume CRP Rejuvenation Mix

This 11 species mix designed t5 species legume Mix for CRP Rejuvenation! Rejuvenate your old sod-bound CRP field with a disc and this mixture of legumes. Check with your NRCS office for regulations, but this is the most effective way to improve bird habitat on old CRP!! Little over a 50% mix with the returning brome making up the other 50%. Turn unproductive cover back into GREAT cover. Disc old brome 3 or 4 times and plant this mix!o meet the 327 Conservation Cover standard for CP2 shortgrass on dry sites. 30 grass seeds and 10 forb seeds per square foot.

<u>Includes:</u> 9lb Alfalfa, .6lb Alsike Clover, .45lb Ladino Clover, .8lb med. Red Clover, .35 lb Partridge Pea











IA Standard Forb Mix

Great Mix for mid-contract management. This 28 species mix designed for mid contract management interseeding, Improving nesting cover, brood rearing cover, adds diversity!

Includes (#s/ac): Milkvetch, Canada (0.08), Rattlebox, Little (Arrowhead) (0.061), Prairie Clover, White (0.143), Prairie Clover, Purple (0.151), Illinois Bundleflower (Prairie Mimosa) (0.065), Sagebrush, white (0.001), Milkweed, Swamp (Marsh) (0.028), Milkweed, Common (0.032), Milkweed, Butterfly (Butterflyweed) (0.006), Coneflower, Pale Purple (0.052), Rattlesnake Master (0.018), Gentain, Pale (Yellow) (Cream) (0.004), Sunflower, False (Oxeye) (0.086), Bergamot, Wild (Prairie Beebalm) (0.008), Goldenrod, Stiff (Rigid) (0.007), Beardtongue, Foxglove (Smooth penstemon) (0.01), Beardtongue, Large (shell leaf) (0.019), Cinquefoil, prairie (potentilla) (0.018), Coneflower, Grayheaded (Yellow) (0.091), Susan, Black-eyed (0.044), Petunia, Wild (0.016), Compass Plant (0.041), Goldenrod, Gray (Field) (Old Field) (0.009), Aster, Smooth Blue (0.005), Aster, Sky Blue (Azure) (0.003), Vervain, Hoary (0.01), Ironweed (0.011), Alexander, Golden (0.05)

IA Pollinator Spring Bump Up Mix (Enhancement Mix)

Not a CP42 Pollinator mix but an option to add more forbs! This 12 species, forb only mix will give your prairie planting more spring blooming flowers.

Includes (#s/ac): Meadow Garlic (Wild Garlic) (0.049), Anemone, Canada (0.017), Columbine (Red Columbine) (0.007), Indigo, Blue Wild (0.018), Alum Root (0.006), Iris, blue flag (0.027), Beardtongue, Large (shell leaf) (0.292), Prairie phlox (0.007), Longbract Spiderwort (Prairie) (0.014), Spiderwort, Ohio (Common) (0.034), Alexander, Heart-leaved (0.027), Alexander, Golden (0.371)











IA Pollinator Annual/Biennial Bump Up Mix (Enhancement Mix)

NOW WITH 10 SEEDS PER SQUARE FOOT! Not a CP42 Pollinator mix but an option to add more forbs! This 5 species forb only mix is designed to give your prairie planting more Annual/ Biennial flowers.

Includes (#s/ac): Partridge Pea (2.017), Rattlebox, Little (Arrowhead) (0.908), Evening primrose, Common (0.076), Susan, Black-eyed (0.059), Susan, Brown-eyed (0.16)

IA Pollinator Milkweed Bump Up Mix (Enhancement Mix)

Not a CP42 Pollinator mix but an option to add more forbs! This 5 species forb only mix is designed to enrich your prairie planting with additional Milkweed species.


Mix Contains: Butterfly Milkweed .3lb, Common Milkweed .3lb, Swamp Milkweed .34b, Whorled Milkweed .05lb, Sullivant's Milkweed .1lb.











IA Pollinator Summer Bump Up Mix (Enhancement Mix)

NOW WITH 10 SEED PER SQUARE FOOT and 15 SPECIES! Not a CP42 Pollinator mix but an option to add more forbs! This 15 species, forb only mix will give your prairie planting more summer blooming flowers.

Includes (#s/ac): Milkvetch, Canada (0.28), Tick-trefoil, Illinois (0.019), Onion, Autumn (Prairie) (White Prairie) (0.05), Thimbleweed (Candle Anemone) (0.005), Thimbleweed, Tall (0.005), Sagebrush, white (0.02), Coneflower, Pale Purple (0.105), Gentain, Pale (Yellow) (Cream) (0.01), Sunflower, Prairie (Stiff, Showy) (0.026), Blazingstar, Prairie (Thickspike) (0.012), Beardtongue, Foxglove (Smooth penstemon) (0.025), Obedident Plant (False Drangonhead) (0.012), Cinquefoil, prairie (potentilla) (0.024), Petunia, Wild (0.01), Culver's Root (0.007)

IA Pollinator Fall Bump Up Mix (Enhancement Mix)

NOW WITH 10 SEEDS PER SQUARE FOOT! Not a CP42 Pollinator mix but an option to add more forbs! This 16 species forb only mix will give your prairie planting more fall blooming flowers.

Includes (#s/ac): Lespedeza, Roundhead (Bushclover) (0.017), Sagebrush, white (0.022), Rattlesnake Master (0.036), Sunflower, Prairie (Stiff, Showy) (0.026), Monkeyflower, allegheny (Square-stemmed) (0.002), Goldenrod, Stiff (Rigid) (0.033), Cinquefoil, prairie (potentilla) (0.024), Susan, Sweet black-eyed (Sweet, Fragrant Coneflower) (0.032), Compass Plant (0.041), Goldenrod, Gray (Field) (Old Field) (0.005), Goldenrod, Showy (0.014), Aster, Smooth Blue (0.02), Aster, Sky Blue (Azure) (0.017), Aster, Silky (Western Silver Aster) (0.004), Vervain, Hoary (0.049), Ironweed (0.034)











IA Pollinator Wet Bump Up Mix (Enhancement Mix)

NOW WITH 10 SEEDS PER SQUARE FOOT AND 12 SPECIES! Not a CP42 Pollinator mix but an option to add more forbs! This 12 species forb only mix is designed for wet soils and will give your prairie planting more blooming flowers.

Includes (#s/ac): Milkweed, Swamp (Marsh) (0.142), Boneset, Common (0.004), Joe-Pye Weed, Spotted (Spotted Trumpetweed) (0.007), Sneezeweed (0.031), Great St Johns Wort (Giant) (0.021), Cardinal Flower (0.001), Lobelia, great blue (0.001), Seedbox (0.003), Loosestrife, winged (0.001), Monkeyflower, allegheny (Square-stemmed) (0.002), Cup Plant (0.097), Vervain, Blue (0.044)

IA Pollinator Dry Bump Up Mix (Enhancement Mix)

NOW WITH 10 SEEDS PER SQUARE FOOT! Not a CP42 Pollinator mix but an option to add more forbs! This 14 species forb only mix is designed for dry soils to give your prairie planting more blooming flowers.

Includes (#s/ac): Tick-trefoil, Illinois (0.063), Sagebrush, white (0.011), Butterfly Milkweed (Iowa) (0.006), Boneset, False (0.009), Gentain, Pale (Yellow) (Cream) (0.01), Alum Root (0.008), Aster, Stiff (Upland White Goldenrod) (0.021), Beardtongue, Foxglove (Smooth penstemon) (0.025), Beardtongue, Large (shell leaf) (0.097), Cinquefoil, prairie (potentilla) (0.024), Petunia, Wild (0.005), Aster, Sky Blue (Azure) (0.034), Aster, Frost (hairy white oldfield) (hairy) (0.019), Aster, Silky (Western Silver Aster) (0.005)











IA CP42/EQIP/CSP Leopold Grass Bump Up

All IOWA Ecotype. Some programs may require additional grass seed if seeding on highly erodible land (EQIP). This bump up mix will fit that requirement. Has 10 grass seeds per square foot.

Includes (#s/ac): Includes (#s/ac): Bluestem, Big (VNS) (0.136), Sideoats grama (local, vns) (0.681), Sedge, Prairie Oval (Shortbeak Sedge) (0.019), Sedge, Fox (0.014), Wildrye, Virginia (cool season) (0.13), Bluestem, Little (VNS) (0.908), Indiangrass (local or vns) (0.113), Dropseed, Tall Composite (Rough) (0.144), Dropseed, Prairie (0.0017)

IA Firebreak

One of the best management decisions you can make when you plant native grasses is to plant firebreaks.

Includes (#s/ac): Timothy (0.8), Red top (0.6), Perennial Rye Grass (1.0), Alfalfa (0.8), Ladino Clover (0.3), Dutch White Clover (0.3), Medium Red Clover (0.8), Alsike Clover (0.4), Partridge Pea (0.7)











IA Pollinator Savanna Bump Up Mix (Enhancement Mix)

NOW WITH 10 SEEDS PER SQUARE FOOT & LOWER PRICE! Not a CP42 Pollinator mix but an option to add more forbs! This 20 species forb only mix is designed to give your Savanna project more blooming flowers.

Includes (#s/ac): Tall Thimbleweed (0.01), Coumbine (0.01), Tall Bellflower (0.01), Maryland Senna (0.05), Tall Coreopsis (0.01), Tall Boneset (0.01), Purple Joe-Pye Weed (0.03), Pale Gentain (0.02), Roundhead Lespedeza (0.05), Greenheaded Coneflower (0.01), Brown-eyed Susan (0.1), Wild petunia (0.01), Showy Goldenrod (0.015), Golden Alexander (0.1)















Click here to order:

CLICK HERE


Partners click here to order:

CLICK HERE









KS PF/QF CRP & EQIP MIX #1

Achieves 28 seeds per square foot and mix ratio is 75% grass to 25% forbs.

Includes (#s/ac): Bluestem, Big (Kaw) (1.8), Sideoats grama (El Reno) (0.3), Buffalograss (0.55), Blue grama (0.06), Switchgrass (Blackwell) (0.45), Wheatgrass, Western (0.5), Bluestem, Little (Aldous) (0.75), Indiangrass (Cheyenne) (0.55), Partridge Pea (0.1), Prairie Clover, White (0.03), Illinois Bundleflower (Prairie Mimosa) (0.11), Yarrow (0.03), Coreopsis, Lanceleaf (sand) (0.05), Coreopsis, Plains (0.025), Indian blanket (0.04), Sunflower, Annual (0.08), Sunflower, Maximillian (0.03), Bergamot, Wild (Prairie Beebalm) (0.02), Evening primrose, Common (0.02), Goldenrod, Stiff (Rigid) (0.001), Coneflower, Prairie (Long-headed) (0.05), Coneflower, Grayheaded (Yellow) (0.01), Susan, Black-eyed (0.025), Aster, Heath (0.003)

KS PF/QF CRP & EQIP MIX #2

Achieves 23.54 seeds per square foot and mix ratio is 75% grass to 25% forbs.

Includes (#s/ac): Bluestem, Big (VNS) (0.9), Sideoats grama (local, vns) (0.6), Switchgrass (VNS) (0.75), Bluestem, Little (VNS) (0.8), Indiangrass (local or vns) (0.9), Partridge Pea (0.18), Prairie Clover, White (0.09), Prairie Clover, Purple (0.09), Illinois Bundleflower (Prairie Mimosa) (0.25), Coreopsis, Lanceleaf (sand) (0.1), Coreopsis, Plains (0.01), Indian blanket (0.15), Sunflower, Maximillian (0.18), Coneflower, Grayheaded (Yellow) (0.07), Susan, Black-eyed (0.01)











KS PF/QF CRP & EQIP MIX #3 - SANDY SOILS

Mix has a total of 21 species at a ratio of 75% grass to 25% forbs and achieves 25 seeds per square foot. Suited for more sandier sites in the western region of state.

Includes (#s/ac): Bluestem, Sand (Chet) (0.85), Sandreed, Prairie (Goshen) (0.45), Switchgrass (Neb 28) (0.7), Wheatgrass, Western (0.6), Bluestem, Little (Aldous) (0.55), Indiangrass (Cheyenne) (1), Partridge Pea (0.25), Prairie Clover, Purple (0.04), Illinois Bundleflower (Prairie Mimosa) (0.1), Alfalfa (VNS) (0.2), Yarrow (0.008), Milkvetch, Cicer (0.1), Coreopsis, Lanceleaf (sand) (0.1), Coreopsis, Plains (0.01), Blanketflower (0.07), Sunflower, Maximillian (0.1), Flax, blue (0.07), Phacelia, Lacy (0.1), Coneflower, Prairie (Long-headed) (0.02), Susan, Black-eyed (0.01), Small burnet (0.4)


KS PF/QF NESTING AND BROOD REARING MIX (CORNERS 4 CONSERVATION)

A more balanced mix of grass to forbs than NRCS specifications allowing for longer presence of forbs/legumes in seeded area. Includes 19 species and achieves 20 seeds per square foot.

Includes (#s/ac): Bluestem, Big (Kaw) (0.55), Blue grama (0.05), Switchgrass (VNS) (0.6), Bluestem Little (Camper) (0.4), Indiangrass (Cheyenne) (0.41), Leadplant (0.05), Prairie Clover, Purple (0.1), Illinois Bundleflower (Prairie Mimosa) (0.15), Alfalfa (VNS) (0.2), Yarrow (0.01), Beeplant, Rocky Mountain (0.27), Coreopsis, Lanceleaf (sand) (0.08), Coreopsis, Plains (0.02), Indian blanket (0.13), Sunflower, Maximillian (0.1), Flax, blue (0.06), Sainfoin (w pods) (1.74), Coneflower, Prairie (Longheaded) (0.03), Susan, Black-eyed (0.02)







KS PF/QF NATIVE POLLINATOR - FORB ONLY MIX W/COMMON MILKWEED

This mix includes 17 species of native wildflowers, including Common Milkweed, achieving 27.87 seeds per square foot.

Includes (#s/ac): Yarrow (0.02), Common Milkweed (0.175), Partridge Pea (0.85), Rocky Mountain Beeplant (0.2), Lanceleaf Coreopsis (0.35), Plains Coreopsis (0.1), White Prairie Clover (0.16), Purple Prairie Clover (0.2), Illinois Bundleflower (0.65), Clasping Coneflower (0.1), Purple Coneflower (0.4), Blanket Flower (0.4), Annual Sunflower (0.5), Maximillian Sunflower (0.25), False Sunflower (0.3), Grayheaded Coneflower (0.1), Black-eyed Susan (0.04)

KS PF/QF NATIVE POLLINATOR - FORB ONLY MIX

Includes 16 native species suitable most regions throughout the state.

Includes (#s/ac): Partridge Pea (0.85), Prairie Clover, White (0.16), Prairie Clover, Purple (0.2), Illinois Bundleflower (Prairie Mimosa) (0.65), Yarrow (0.02), Beeplant, Rocky Mountain (0.2), Coreopsis, Lanceleaf (sand) (0.35), Coreopsis, Plains (0.1), Coneflower, Clasping (0.1), Coneflower, Purple (0.4), Blanketflower (0.4), Sunflower, Annual (0.5), Sunflower, Maximillian (0.25), Sunflower, False (Oxeye) (0.3), Coneflower, Grayheaded (Yellow) (0.1), Susan, Black-eyed (0.04)











KS PF/QF NATIVE POLLINATOR MIX W/GRASS

Includes 17 species- 2 native grasses and 15 forbs.

Includes (#s/ac): Sideoats grama (local, vns) (0.5), Bluestem, Little (VNS) (0.65), Partridge Pea (0.35), Prairie Clover, White (0.1), Prairie Clover, Purple (0.2), Illinois Bundleflower (Prairie Mimosa) (0.5), Yarrow (0.018), Coreopsis, Lanceleaf (sand) (0.2), Coreopsis, Plains (0.03), Coneflower, Clasping (0.07), Coneflower, Purple (0.25), Blanketflower (0.2), Sunflower, Maximillian (0.25), Sunflower, False (Oxeye) (0.15), Coneflower, Grayheaded (Yellow) (0.2), Coneflower, Orange (0.1), Susan, Black-eyed (0.05)

KS PF/QF NATIVE POLLINATOR MIX W/GRASS & COMMON MILKWEED

This mix includes 18 total species in a 75% forb to 25% grass ratio. Including Common Milkweed and grass mix achieves 25 seeds per square foot.

Includes (#s/ac): Sideoats grama (local, vns) (0.5), Bluestem, Little (VNS) (0.7), Partridge Pea (0.35), Prairie Clover, White (0.1), Prairie Clover, Purple (0.2), Illinois Bundleflower (Prairie Mimosa) (0.5), Yarrow (0.018), Milkweed, Common (0.17), Coreopsis, Lanceleaf (sand) (0.2), Coreopsis, Plains (0.03), Coneflower, Clasping (0.07), Coneflower, Purple (0.25), Blanketflower (0.2), Sunflower, Maximillian (0.25), Sunflower, False (Oxeye) (0.15), Coneflower, Grayheaded (Yellow) (0.2), Coneflower, Prairie (0.1), Susan, Black-eyed (0.05)











KS PF/QF BIODIVERSITY PILOT MIX A

This 23 species mix is designed for the KS Biodiversity Pilot Program. It includes both introduced clovers, alfalfa and Native species.

Includes (#s/ac): Bluestem, Big (VNS) (0.5), Sand lovegrass (0.03), Switchgrass (VNS) (0.22), Indiangrass (local or vns) (0.25), Milkvetch, Canada (0.13), Partridge Pea (0.305), Prairie Clover, White (0.09), Prairie Clover, Purple (0.15), Illinois Bundleflower (Prairie Mimosa) (0.45), Alfalfa (VNS) (0.6), Clover, Red (0.22), Clover, Ladino (0.2), Sagebrush, white (0.005), Milkweed, Butterfly (Butterflyweed) (0.05), Beeplant, Rocky Mountain (0.1), Coreopsis, Plains (0.027), Indian blanket (0.09), Sunflower, Annual (0.15), Sunflower, Maximillian (0.1), Mint, Lemon (0.03), Coneflower, Prairie (Long-headed) (0.1), Susan, Black-eyed (0.04), Vervain, Hoary (0.08), Bulked with Rice Hulls

KS PF/QF BIODIVERSITY PILOT MIX B

This diverse 39 Species native mix is designed for the KS Biodiversity Pilot Program. Mix contains 4 native grass species, 35 native forbs.

Includes (#s/ac): Bluestem, Big (VNS) (0.5), Sand lovegrass (0.03), Switchgrass (VNS) (0.22), Indiangrass (local or vns) (0.25), Leadplant (0.08), Milkvetch, Canada (0.05), Partridge Pea (0.75), Prairie Clover, White (0.05), Prairie Clover, Purple (0.11), Illinois Bundleflower (Prairie Mimosa) (0.45), Lespedeza, Roundhead (Bushclover) (0.05), Yarrow (0.03), Sagebrush, white (0.005), Milkweed, Swamp (Marsh) (0.022), Milkweed, Showy (0.1), Milkweed, Common (0.06), Milkweed, Butterfly (Butterflyweed) (0.03), Boneset, False (0.009), Beeplant, Rocky Mountain (0.25), Coreopsis, Plains (0.009), Coneflower, Clasping (0.05), Blacksamson (Narrow-Leaved Coneflower) (0.015), Daisy, Englemann (0.13), Indian blanket (0.25), Sunflower, Annual (0.2), Sunflower, Maximillian (0.1), Sunflower, Downy (Ashy) (0.01), Sunflower, False (Oxeye) (0.1), Blazingstar, Dotted (Gayfeather) (0.012), Mint, Lemon (0.05), Bergamot, Wild (Prairie Beebalm) (0.011), Mint, Dotted (Spotted Bee Balm) (0.004), Coneflower, Prairie (Longheaded) (0.05), Coneflower, Grayheaded (Yellow) (0.05), Susan, Black-eyed (0.12), Sage, Pitcher (Blue Sage) (0.015), Aster, Heath (0.004), Spiderwort, Prairie (0.007), Vervain, Hoary (0.062), Bulked with Rice Hulls.

















Click here to order:

CLICK HERE

Partners click here to order:

CLICK HERE









MN PF 327 UPLAND


This mix designed by wildlife professionals to meet the MN 327 Standard. It is appropriate for CP2, CP23A, CP4D, CP28, CP37 and CP38E practices for the CRP and CREP programs. It includes a 32 species balanced blend of native grasses and wildflowers.

Includes (#s/ac): Bluestem, Big (VNS) (0.4), Sideoats grama (local, vns) (1.25), Blue grama (0.2), Bluestem, Little (VNS) (0.79), Indiangrass (local or vns) (0.44), Leadplant (0.02), Milkvetch, Canada (0.036875), Partridge Pea (0.1), Prairie Clover, White (0.025), Prairie Clover, Purple (0.0375), Illinois Bundleflower (Prairie Mimosa) (0.1875), Lespedeza, Roundhead (Bushclover) (0.0625), Hyssop, Fragrant Giant(anise) (Blue Giant) (0.005), Milkweed, Common (0.054375), Coreopsis, Lanceleaf (sand) (0.0375), Sunflower, Maximillian (0.02), Sunflower, False (Oxeye) (0.01875), Lobelia, great blue (0.009375), Bergamot, Wild (Prairie Beebalm) (0.04), Evening primrose, Common (0.075), Goldenrod, Stiff (Rigid) (0.009375), Beardtongue, Foxglove (Smooth penstemon) (0.01), Beardtongue, Large (shell leaf) (0.03125), Cinquefoil, prairie (potentilla) (0.02), Mint, Mountain (Common) (Virginia) (0.005), Coneflower, Grayheaded (Yellow) (0.03125), Susan, Black-eyed (0.1), Goldenrod, Showy (0.005), Aster, Smooth Blue (0.00625), Aster, New England (0.015625), Vervain, Hoary (0.01), Culver's Root (0.01), Alexander, Golden (0.03125)

MN PF 327 DRY-MESIC

Mix designed to provide good wildlife habitat and meet MN NRCS 327 standard for dry to mesic soils. Appropriate for CP2, CP4D, CP23A, CP28, CP37 and CP38E/SAFE practices for the CRP and CREP programs.

Includes (#s/ac): Bluestem, Big (VNS) (0.5), Sideoats grama (local, vns) (1.1), Blue grama (0.25), Switchgrass (VNS) (0.33), Bluestem, Little (VNS) (1.2), Indiangrass (local or vns) (1), Dropseed, Tall Composite (Rough) (0.25), Milkvetch, Canada (0.03125), Prairie Clover, Purple (0.03125), Illinois Bundleflower (Prairie Mimosa) (0.1875), Hyssop, Fragrant Giant(anise) (Blue Giant) (0.005), Sunflower, Maximillian (0.0125), Evening primrose, Common (0.02), Beardtongue, Foxglove (Smooth penstemon) (0.009375), Cinquefoil, prairie (potentilla) (0.015), Susan, Black-eyed (0.046875), Goldenrod, Showy (0.00625), Aster, Smooth Blue (0.014375), Vervain, Hoary (0.023125), Culver's Root (0.0025)









MN PF 327 WET



This 22 species mix is designed to meet MN NRCS 327 standards for wet mesic soil types and appropriate for CP2, CP23A, CP4D, CP27, CP37 and CP38E/SAFE practices for the CRP and CREP programs.

Includes (#s/ac): Bluestem, Big (VNS) (1.63), Wheatgrass, Slender (0.7), Wildrye, Virginia (cool season) (1), Switchgrass (VNS) (0.29), Bluestem, Little (VNS) (0.5), Indiangrass (local or vns) (1.5), Dropseed, Tall Composite (Rough) (0.13), Prairie Clover, Purple (0.05625), Illinois Bundleflower (Prairie Mimosa) (0.075), Tick-trefoil, Showy (Canada) (0.053125), Hyssop, Fragrant Giant(anise) (Blue Giant) (0.00625), Joe-Pye Weed, Spotted (Spotted Trumpetweed) (0.0125), Sneezeweed (0.05), Sunflower, Maximillian (0.04375), Blazingstar, Prairie (Thickspike) (0.090625), Lobelia, great blue (0.0025), Bergamot, Wild (Prairie Beebalm) (0.03125), Goldenrod, Stiff (Rigid) (0.021875), Coneflower, Grayheaded (Yellow) (0.09375), Susan, Black-eyed (0.05625), Aster, New England (0.01), Vervain, Blue (0.025)

MN PF 327 Milestone Tolerant

This 20 species mix is designed to meet MN NRCS 327 standards for wet mesic to dry soil types and appropriate for CP2, CP23A, CP4D, CP27, CP37 and CP38E/SAFE practices for the CRP and CREP programs.

Includes (#s/ac): Bluestem, Big (VNS) (0.8), Sideoats grama (local, vns) (1.5), Blue grama (0.35), Wheatgrass, Slender (0.8), Wildrye, Virginia (cool season) (0.75), Switchgrass (VNS) (0.35), Bluestem, Little (VNS) (0.5), Indiangrass (local or vns) (0.4), Dropseed, Tall Composite (Rough) (0.25), Leadplant (0.01), Milkvetch, Canada (0.03), Prairie Clover, Purple (0.03125), Milkweed, Common (0.025), Sunflower, False (Oxeye) (0.0625), Bergamot, Wild (Prairie Beebalm) (0.05), Cinquefoil, prairie (potentilla) (0.00625), Susan, Black-eyed (0.0625), Vervain, Blue (0.040625), Vervain, Hoary (0.015), Alexander, Golden (0.03125)









MN PF 327 POLLINATOR



This 30 species mix is designed to meet MN NRCS 327 standards for mesic to dry soil types and appropriate for CP2 and CP42 practices for CRP.

Includes (#s/ac): Bluestem, Big (VNS) (0.2), Sideoats grama (local, vns) (0.45), Bluestem, Little (VNS) (0.4), Indiangrass (local or vns) (0.3), Dropseed, Tall Composite (Rough) (0.19), Leadplant (0.045), Milkvetch, Canada (0.0625), Partridge Pea (0.4), Prairie Clover, White (0.03125), Prairie Clover, Purple (0.08), Hyssop, Fragrant Giant(anise) (Blue Giant) (0.06), Milkweed, Common (0.0375), Coneflower, Purple (0.125), Sunflower, Maximillian (0.01), Sunflower, False (Oxeye) (0.005), Blazingstar, Prairie (Thickspike) (0.005), Lobelia, great blue (0.015), Bergamot, Wild (Prairie Beebalm) (0.1), Evening primrose, Common (0.1), Goldenrod, Stiff (Rigid) (0.005), Beardtongue, Foxglove (Smooth penstemon) (0.05), Mint, Mountain (Common) (Virginia) (0.00625), Coneflower, Grayheaded (Yellow) (0.08), Susan, Black-eyed (0.1), Goldenrod, Showy (0.00625), Aster, Smooth Blue (0.00625), Spiderwort, Ohio (Common) (0.015), Vervain, Blue (0.08), Vervain, Hoary (0.015), Culver's Root (0.01), Alexander, Golden (0.015)

MN PF 327 Monarch CP2, CP42

A diverse 22 species mix specifically designed to provide excellent monarch habitat, meet the MN NRCS 327 CP42 Monarch / CP2 Monarch Food Plot Habitat standard and great cover for pheasants.

Includes (#s/ac): Bluestem, Big (VNS) (0.45), Sideoats grama (local, vns) (0.5), Bluestem, Little (VNS) (0.4), Dropseed, Tall Composite (Rough) (0.19), Leadplant (0.015), Prairie Clover, White (0.1), Milkweed, Common (0.36), Boneset, Common (0.025), Joe-Pye Weed, Spotted (Spotted Trumpetweed) (0.05), Sunflower, Maximillian (0.03), Sunflower, False (Oxeye) (0.015), Blazingstar, Prairie (Thickspike) (0.005), Lobelia, great blue (0.029375), Bergamot, Wild (Prairie Beebalm) (0.19), Goldenrod, Stiff (Rigid) (0.05), Beardtongue, Foxglove (Smooth penstemon) (0.03), Beardtongue, Large (shell leaf) (0.02), Susan, Black-eyed (0.155), Aster, Smooth Blue (0.03), Spiderwort, Ohio (Common) (0.005), Vervain, Hoary (0.035), Culver's Root (0.01)











MN PF 327 CP1 INTRODUCED

This 8 species mix is designed to meet the MN NRCS requirement for the 327 Standard for Introduced Grass and Legumes on most soil types. It is appropriate for CRP-CP1 and CP-38E/SAFE practices.

<u>Includes (#s/ac):</u> Orchardgrass (0.36), Alfalfa (VNS) (0.8), Switchgrass (VNS) (0.4), Western Wheatgrass (1.42), Timothy (0.18), Alsike Clover (0.3), Red Clover (0.6), Ladino Clover (0.25)

MN PF 643 TALLGRASS DRY-MESIC

This 26 species mix is designed to meet MN NRCS 643 standards for dry to mesic soil types and appropriate for CP23A, CP25/CP38E, CP27/28 and CP37 practices for the CRP and CREP programs.


Includes (#s/ac): Bluestem, Big (VNS) (0.8), Sideoats grama (local, vns) (0.8), Blue grama (0.2), Switchgrass (VNS) (0.1), Bluestem, Little (VNS) (0.7), Indiangrass (local or vns) (0.75), Dropseed, Tall Composite (Rough) (0.2), Milkvetch, Canada (0.09375), Prairie Clover, White (0.03125), Prairie Clover, Purple (0.125), Illinois Bundleflower (Prairie Mimosa) (0.125), Hyssop, Fragrant Giant(anise) (Blue Giant) (0.01), Milkweed, Common (0.03125), Coreopsis, Lanceleaf (sand) (0.0625), Sunflower, Maximillian (0.0625), Bergamot, Wild (Prairie Beebalm) (0.025), Evening primrose, Common (0.0725), Goldenrod, Stiff (Rigid) (0.006875), Beardtongue, Foxglove (Smooth penstemon) (0.0125), Cinquefoil, prairie (potentilla) (0.025), Coneflower, Grayheaded (Yellow) (0.03125), Susan, Black-eyed (0.08), Goldenrod, Showy (0.003125), Aster, Smooth Blue (0.00625), Vervain, Hoary (0.01875), Culver's Root (0.00625)











MN PF 643 TALLGRASS WET

This mix is designed to meet MN NRCS 643 standards for wet soil types and appropriate for CP23A, CP25/CP38E, CP27/28 and CP37 practices for the CRP and CREP programs. Mix contains 23 species. Species origin appropriate for counties south of highway 212.

Includes (#s/ac): Bluestem, Big (VNS) (1.25), Wheatgrass, Slender (0.4), Wildrye, Virginia (cool season) (0.9), Switchgrass (VNS) (0.12), Bluestem, Little (VNS) (0.9), Indiangrass (local or vns) (1.15), Partridge Pea (0.17), Prairie Clover, Purple (0.09375), Illinois Bundleflower (Prairie Mimosa) (0.1875), Tick-trefoil, Showy (Canada) (0.05), Milkweed, Swamp (Marsh) (0.03125), Joe-Pye Weed, Spotted (Spotted Trumpetweed) (0.005), Sneezeweed (0.0375), Sunflower, Maximillian (0.025), Sunflower, False (Oxeye) (0.05), Lobelia, great blue (0.015), Bergamot, Wild (Prairie Beebalm) (0.0625), Goldenrod, Stiff (Rigid) (0.005), Mint, Mountain (Common) (Virginia) (0.003125), Coneflower, Grayheaded (Yellow) (0.05), Susan, Black-eyed (0.088125), Vervain, Blue (0.08), Alexander, Golden (0.025)

MN PF CP21 Filter Strip (native)

This mix designed by our wildlife professionals to meet the MN NRCS 393 standard for the Native CRP - CP21 Filter Strip practice on most soils and provide quality habitat for pheasants and other wildlife. Mix contains 7 grass species.

Includes (#s/ac): Bluestem, Big (VNS) (1.5), Sideoats grama (local, vns) (2), Blue grama (0.6), Wheatgrass, Slender (1.5), Switchgrass (VNS) (1), Bluestem, Little (VNS) (1.5), Indiangrass (local or vns) (1.5)











MN PF CP21 FILTER STRIP (INTRODUCED)

This 5 species mix designed by our wildlife professionals to meet the MN NRCS 393 standard for the Introduced CRP - CP21 Filter Strip practice on most soils and provide quality habitat for pheasants and other wildlife.

Includes (#s/ac): Alfalfa (VNS) (1), Alsike Clover (0.25), Red Clover (0.25), Redtop (0.3), Timothy (0.4)

MN CP43 PRAIRIE STRIPS MIX

This 28 species mix is designed to meet MN NRCS standards for CP43 Prairie Strips under the MN NRCS 327 Standard.

Includes (#s/ac): Bluestem, Big (VNS) (0.5), Sideoats grama (local, vns) (1), Blue grama (0.25), Wheatgrass, Slender (0.4), Switchgrass (VNS) (0.2), Bluestem, Little (VNS) (1), Indiangrass (local or vns) (0.5), Dropseed, Tall Composite (Rough) (0.2), Milkvetch, Canada (0.04), Partridge Pea (0.035), Prairie Clover, White (0.04), Prairie Clover, Purple (0.05), Tick-trefoil, Showy (Canada) (0.15), Milkweed, Common (0.05625), Sunflower, Maximillian (0.02), Sunflower, False (Oxeye) (0.07), Bergamot, Wild (Prairie Beebalm) (0.03), Evening primrose, Common (0.040625), Goldenrod, Stiff (Rigid) (0.05), Beardtongue, Foxglove (Smooth penstemon) (0.03), Coneflower, Grayheaded (Yellow) (0.04), Susan, Black-eyed (0.05), Goldenrod, Showy (0.01), Aster, Smooth Blue (0.02), Aster, New England (0.01), Vervain, Hoary (0.05), Culver's Root (0.003125), Alexander, Golden (0.01125)











MN PF INTRODUCED HONEY BEE

Mix designed specifically for honeybees. Does not meet state NRCS standards and should not be used as part of a CRP project. Contains 11 species at 8.42 PLS #s per acre 38.9 seeds/ft2 85% wildflowers.

Includes (#s/ac): Rice Hulls (filler) (10), Sideoats grama (local, vns) (0.3), Wheatgrass, Slender (0.4), Bluestem, Little (VNS) (0.5), Alfalfa (VNS) (0.5), Clover, Alsike (0.4), Clover, Crimson (2), Clover, Red (1), Clover, Ladino (0.4), Coreopsis, Plains (0.2), Indian blanket (0.8), Sunflower, Maximillian (0.06), Sainfoin (w pods) (2.4), Phacelia, Lacy (0.46), Susan, Black-eyed (0.2),

MINNESOTA WILDFLOWER UPGRADE

Add this mix of 19 high value wildflowers to your CRP mix to increase diversity and enhance your project for pollinators. Also, can be broadcast after a prescribed burn to enhance old, degraded CRP. Not designed to meet any particular standard.

Includes (#s/ac): Common Milkweed (0.03125), Swamp Milkweed (0.03125), Lanceleaf Coreopsis (0.00625), Showy Tick-trefoil (0.0625), Pale Purple Coneflower (0.03125), Rattlesnake Master (0.0625), Prairie Sunflower (0.00625), Roundhead Lespedeza (0.03125), Prairie Blazingstar (0.03125), Stiff Goldenrod (0.0125), Large Beardtongue (0.00625), Prairie Cinquefoil (0.00625), Compass Plant (0.03125), Cup Plant (0.0625), Purple Prairie Clover (0.033125), Smooth Blue Aster (0.03125), New England Aster (0.019375), Ironweed (0.01875), Culver's Root (0.000625)

















Click here to order:

CLICK HERE

Partners click here to order:

CLICK HERE









MO WINTER COVER

This 14 species mix designed to meet the Missouri NRCS standard and provide bedding and winter cover for deer and pheasants in Missouri.

Includes (#s/ac): Wild Bergamot (0.02), Grayheaded Coneflower (0.05), Purple Coneflower (0.1), Stiff Goldenrod (0.01), Common Milkweed (0.03), Partridge Pea (0.7), Downy Sunflower (0.1), False Sunflower (0.1), Black-eyed Susan (0.01), Big Bluestem (0.7), Little Bluestem (0.4), Indiangrass (0.6), Switchgrass (VNS) (0.5), Virginia Wildrye (0.7)

MO NESTING COVER

This 22 species mix is designed to meet the Missouri NRCS standard and provide nesting cover for Quail and other successional species.


Includes (#s/ac): Golden Alexander (0.04), New England Aster (0.01), Foxglove Beardtongue (0.01), Wild Bergamot (0.04), Grayheaded Coneflower (0.1), Purple Coneflower (0.25), Lanceleaf Coreopsis (0.2), Plains Coreopsis (0.006), Culver's Root (0.003), Showy Goldenrod (0.005), Stiff Goldenrod (0.01), Common Milkweed (0.02), Swamp Milkweed (0.01), Narrowleaf Mountain Mint (0.003), Partridge Pea (0.4), Purple Prairie Clover (0.1), False Sunflower (0.1), Black-eyed Susan (0.025), Hoary Vervain (0.09), Little Bluestem (1), Sideoats Grama (1.2), Butterfly Milkweed IA (0.01)











MO WILDLIFE FIREBREAK

This 4 species mix is great for establishing burn breaks around your high diversity cover and providing good nesting and brood-rearing cover for upland birds.

Includes (#s/ac): Alfalfa (VNS) (0.3), Clover, Alsike (1), Clover, Red (2), Clover, Ladino (1)

MO CP42 MONARCH FORB ONLY (SU 56 AND 57)

This 20 species Forb Only mix designed to meet MO NRCS CP38E-42, Mix example 24 standards for SU 56 and 57 using the 420 standard. Intended for use on slopes less than 5%.

Includes (#s/ac): Golden Alexander (0.1), New England Aster (0.03), Foxglove Beardtongue (0.025), Wild Bergamot (0.06), Prairie Blazingstar (0.045), Grayheaded Coneflower (0.18), Purple Coneflower (0.5), Lanceleaf Coreopsis (0.25), Culver's Root (0.006), Showy Goldenrod (0.02), Stiff Goldenrod (0.06), Common Milkweed (0.325), Narrowleaf Mountain Mint (0.007), Partridge Pea (0.14), Purple Prairie Clover (0.27), Downy Sunflower (0.02), False Sunflower (0.35), Black-eyed Susan (0.049), Hoary Vervain (0.14), Butterfly Milkweed IA (0.08)













This 22 species mix designed to meet the MO NRCS CP38E-42, example 25 Bobwhite Quail and Monarch Butterfly practice in the 420 standard for Sign Up 56 and 57 on slopes < 5%.

Includes (#s/ac): Common Milkweed (0.44), Butterfly Milkweed IA (0.15), Sideoats Grama (0.73), Partridge Pea (0.19), Lanceleaf Coreopsis (0.35), Purple Prairie Clover (0.15), Purple Coneflower (0.7), Downy Sunflower (0.017), False Sunflower (0.06), Prairie Blazingstar (0.05), Wild Bergamot (0.075), Stiff Goldenrod (0.09), Foxglove Beardtongue (0.05), Narrowleaf Mountain Mint (0.004), Grayheaded Coneflower (0.1), Black-eyed Susan (0.064), Little Bluestem (0.724), Showy Goldenrod (0.012), New England Aster (0.02), Hoary Vervain (0.135), Culver's Root (0.004), Golden Alexander (0.05)

MO CP38E-42 MIX 26 MONARCH SU 56 AND 57

This 22 species mix designed to meet the MO NRCS Safe CP38E-42, example 26 Bobwhite Quail and Monarch Butterfly practice in the 420 standard for Sign Up 56 and 57 on slopes >/= 5%.

Includes (#s/ac): Common Milkweed (0.55), Butterfly Milkweed IA (0.244), Sideoats Grama (1.094), Partridge Pea (0.24), Lanceleaf Coreopsis (0.28), Purple Prairie Clover (0.22), Purple Coneflower (0.8), Downy Sunflower (0.06), False Sunflower (0.6), Prairie Blazingstar (0.02), Wild Bergamot (0.13), Stiff Goldenrod (0.1), Foxglove Beardtongue (0.03), Narrowleaf Mountain Mint (0.008), Grayheaded Coneflower (0.1), Blackeyed Susan (0.1), Little Bluestem (1.086), Showy Goldenrod (0.02), New England Aster (0.04), Hoary Vervain (0.27), Culver's Root (0.013), Golden Alexander (0.04)









MO CP42 POLLINATOR FORB ONLY (SU 54,56 & 58)

This 20 species mix designed to meet MO CP42 Pollinator Standard, mix example 1 for Sign Up 54 and Mix example 17 for Sign Up 56 and 58 on slopes less than 5%. Includes only forbs.

Includes (#s/ac): Golden Alexander (0.05), New England Aster (0.02), Foxglove Beardtongue (0.05), Wild Bergamot (0.065), Grayheaded Coneflower (0.2), Purple Coneflower (0.5), Lanceleaf Coreopsis (0.35), Culver's Root (0.005), Showy Goldenrod (0.02), Stiff Goldenrod (0.085), Common Milkweed (0.05), Swamp Milkweed (0.06), Narrowleaf Mountain Mint (0.002), Partridge Pea (0.14), Purple Prairie Clover (0.15), Downy Sunflower (0.015), False Sunflower (0.4), Black-eyed Susan (0.049), Hoary Vervain (0.15), Butterfly Milkweed IA (0.03)

MO CP42-18 SU 56/58 & 59/60 MIX

This 22 species mix designed to meet the MO NRCS CP42, example 18 Pollinator practice for Sign Up 56 and 58 on slopes < 5%.

Includes (#s/ac): Common Milkweed (0.072), Swamp Milkweed (0.07), Butterfly Milkweed IA (0.015), Sideoats Grama (0.73), Partridge Pea (0.165), Lanceleaf Coreopsis (0.35), Purple Prairie Clover (0.15), Purple Coneflower (0.7), Downy Sunflower (0.03), False Sunflower (0.04), Wild Bergamot (0.07), Stiff Goldenrod (0.07), Foxglove Beardtongue (0.05), Narrowleaf Mountain Mint (0.003), Grayheaded Coneflower (0.2), Black-eyed Susan (0.06), Little Bluestem (0.724), Showy Goldenrod (0.02), New England Aster (0.025), Hoary Vervain (0.17), Culver's Root (0.003), Golden Alexander (0.06)









MO CP42-19 SU 56 AND 58 MIX



This 22 species mix designed to meet the MO NRCS CP42, example 19 Pollinator practice for Sign Up 56 and 58 on slopes >/= 5%. 40 seeds per square foot.

Includes (#s/ac): Common Milkweed (0.06), Swamp Milkweed (0.04), Butterfly Milkweed IA (0.06), Sideoats Grama (1.094), Partridge Pea (0.27), Lanceleaf Coreopsis (0.5), Purple Prairie Clover (0.25), Purple Coneflower (0.8), Downy Sunflower (0.018), False Sunflower (0.6), Wild Bergamot (0.099), Stiff Goldenrod (0.12), Foxglove Beardtongue (0.04), Narrowleaf Mountain Mint (0.01), Grayheaded Coneflower (0.29), Black-eyed Susan (0.075), Little Bluestem (1.086), Showy Goldenrod (0.02), New England Aster (0.04), Hoary Vervain (0.2), Culver's Root (0.01), Golden Alexander (0.1)

MO CP1-1 SU 56 AND 58 MIX

This 24 species mix is designed to meet Missouri requirements for general CRP sign up 56 and 58 CP1, mixture example 1 when drilled. For broadcast seeding, must increase the rate by 1.5 times.

Includes (#s/ac): Redtop (0.17), Common Milkweed (0.03), Swamp Milkweed (0.03), Butterfly Milkweed IA (0.03), Partridge Pea (0.14), Lanceleaf Coreopsis (0.1), Plains Coreopsis (0.002), Orchardgrass (1.435), Purple Prairie Clover (0.125), Purple Coneflower (0.3), False Sunflower (0.04), Annual Lespedeza (1.46), Wild Bergamot (0.068), Stiff Goldenrod (0.04), Foxglove Beardtongue (0.02), Timothy (0.465), Narrowleaf Mountain Mint (0.004), Grayheaded Coneflower (0.1), Black-eyed Susan (0.05), Showy Goldenrod (0.01), New England Aster (0.02), Hoary Vervain (0.05), Culver's Root (0.002), Golden Alexander (0.055)









MO CRP CP1-2 SU 56 AND 58 MIX



This 5 species mix is based on the NRCS CRP mix recommendations for CP1, mixture example 2 for permanent introduced grasses and legumes using the 327 standard for CRP sign-up 56 and 58. The rates shown are per acre for drilling the mix. Order 1.5 times the rate for broadcasting.

Includes (#s/ac): Alfalfa (VNS) (1.54), Annual Lespedeza (1.095), Orchardgrass (1.23), Redtop (0.17), Timothy (0.775)

MO CP2-6 SU 56 AND 58 MIX

This 23 species mix is based on the NRCS CRP mix recommendations for CP2, mix example 6 for sign up 56 and 58 on sites with an EI >/= 8. This rate is for drilled seeding. For broadcast seeding, use 1.5 times the rate.

Includes (#s/ac): Common Milkweed (0.03), Swamp Milkweed (0.013), Butterfly Milkweed IA (0.03), Sideoats Grama (2.2), Partridge Pea (0.135), Lanceleaf Coreopsis (0.25), Plains Coreopsis (0.001), Purple Prairie Clover (0.125), Purple Coneflower (0.4), Canada Wildrye (1.53), False Sunflower (0.3), Wild Bergamot (0.053), Stiff Goldenrod (0.06), Foxglove Beardtongue (0.027), Narrowleaf Mountain Mint (0.005), Grayheaded Coneflower (0.15), Black-eyed Susan (0.06), Little Bluestem (2.19), Showy Goldenrod (0.01), New England Aster (0.01), Hoary Vervain (0.1), Culver's Root (0.005), Golden Alexander (0.05)









MO CP2-7 SU 56 AND 58 MIX



This 24 species mix is based on the NRCS CRP mix recommendations for CP2, mixture example 7 for permanent native grasses and legumes using the 327 standard for CRP sign-up 56 and 58. Mix designed for projects with an EI >/= 8. Seeding rates based on drilling. For broadcasting, multiply rate by 1.5.


Includes (#s/ac): Common Milkweed (0.03), Swamp Milkweed (0.01), Butterfly Milkweed IA (0.02), Sideoats Grama (1.65), Partridge Pea (0.445), Lanceleaf Coreopsis (0.3), Plains Coreopsis (0.001), Purple Prairie Clover (0.15), Purple Coneflower (0.5), Virginia Wildrye (2.088), False Sunflower (0.05), Wild Bergamot (0.05), Stiff Goldenrod (0.05), Switchgrass (VNS) (1.206), Foxglove Beardtongue (0.03), Narrowleaf Mountain Mint (0.001), Grayheaded Coneflower (0.179), Black-eyed Susan (0.07), Little Bluestem (1.095), Showy Goldenrod (0.02), New England Aster (0.007), Hoary Vervain (0.09), Culver's Root (0.003), Golden Alexander (0.057)

MO CP2-8 SU 56,57, & 58 MIX

This 23 species mix is based on the NRCS CRP mix recommendations for CP2, mixture example 8 for permanent native grasses and legumes using the 327 standard for CRP sign-up 56 and 58. Mix designed for projects with an EI >/= 8. Seeding rates based on drilling. For broadcasting, multiply rate by 1.5.

Includes (#s/ac): Bluestem, Big (VNS) (2.42), Wildrye, Virginia (cool season) (4.35), Switchgrass (VNS) (1.34), Partridge Pea (0.14), Prairie Clover, Purple (0.125), Milkweed, Swamp (Marsh) (0.015), Milkweed, Common (0.03), Butterfly Milkweed (Iowa) (0.03), Coreopsis, Lanceleaf (sand) (0.25), Coreopsis, Plains (0.001), Coneflower, Purple (0.4), Sunflower, False (Oxeye) (0.3), Bergamot, Wild (Prairie Beebalm) (0.053), Goldenrod, Stiff (Rigid) (0.06), Beardtongue, Foxglove (Smooth penstemon) (0.02), Mint, Narrowleaf Mountain (Slender) (0.005), Coneflower, Grayheaded (Yellow) (0.15), Susan, Black-eyed (0.06), Goldenrod, Showy (0.01), Aster, New England (0.02), Vervain, Hoary (0.1), Culver's Root (0.005), Alexander, Golden (0.05)









MO CP4D-11 SU 56 AND 58 MIX



This 23 species mix is based on the MO NRCS CRP mix recommendations for CP4D, mixture example 11 for permanent wildlife cover using the 327 standard for CRP sign-up 56 and 58. Mix designed for projects with EI of less than 8. This mix can also be used for CP2 plantings on sites with an EI <8. Seed rates based on drilling, for broadcast seeding multiply rate by 1.5.

Includes (#s/ac): Common Milkweed (0.04), Swamp Milkweed (0.02), Butterfly Milkweed IA (0.03), Sideoats Grama (1.87), Partridge Pea (0.3), Lanceleaf Coreopsis (0.25), Plains Coreopsis (0.001), Purple Prairie Clover (0.125), Purple Coneflower (0.4), Canada Wildrye (1.53), False Sunflower (0.3), Wild Bergamot (0.07), Stiff Goldenrod (0.07), Foxglove Beardtongue (0.05), Narrowleaf Mountain Mint (0.006), Grayheaded Coneflower (0.2), Black-eyed Susan (0.06), Little Bluestem (1.825), Showy Goldenrod (0.02), New England Aster (0.02), Hoary Vervain (0.15), Culver's Root (0.006), Golden Alexander (0.05)

MO CP4D-13 SU 56 AND 58 MIX

This 23 species mix is based on the MO NRCS CRP mix recommendations for CP4D, mixture example 13 for permanent wildlife cover using the 327 standard for CRP sign-up 56 and 58. Mix designed for projects with EI >/= 8. Seed rates based on drilling, for broadcast seeding multiply rate by 1.5.

Includes (#s/ac): Common Milkweed (0.03), Swamp Milkweed (0.025), Butterfly Milkweed IA (0.02), Sideoats Grama (2.75), Partridge Pea (0.15), Lanceleaf Coreopsis (0.15), Plains Coreopsis (0.001), Purple Prairie Clover (0.129), Purple Coneflower (0.4), False Sunflower (0.21), Alfalfa (VNS) (0.77), Wild Bergamot (0.035), Stiff Goldenrod (0.05), Foxglove Beardtongue (0.015), Narrowleaf Mountain Mint (0.003), Grayheaded Coneflower (0.1), Black-eyed Susan (0.05), Little Bluestem (2.555), Showy Goldenrod (0.01), New England Aster (0.01), Hoary Vervain (0.07), Culver's Root (0.003), Golden Alexander (0.03)









MO CP38E-4D MIX 21 SU 57



This 24 species mix is based on the MO NRCS CRP mix recommendations for CP 38E-CP4D, mixture example 21 for permanent wildlife habitat for Bobwhite Quail and Monarch Butterfly Habitat Restoration using the 327 standard for CRP sign-up 57. Mix designed for projects with EI of > or = 8, all sites. Seed rates based on drilling, for broadcast seeding multiply rate by 1.5.

Includes (#s/ac): Common Milkweed (0.04), Swamp Milkweed (0.21), Butterfly Milkweed IA (0.04), Sideoats Grama (1.98), Partridge Pea (0.3), Lanceleaf Coreopsis (0.25), Plains Coreopsis (0.001), Purple Prairie Clover (0.125), Purple Coneflower (0.4), Canada Wildrye (1.53), Virginia Wildrye (3.828), False Sunflower (0.3), Wild Bergamot (0.07), Stiff Goldenrod (0.07), Foxglove Beardtongue (0.05), Narrowleaf Mountain Mint (0.003), Grayheaded Coneflower (0.2), Black-eyed Susan (0.06), Little Bluestem (1.825), Showy Goldenrod (0.02), New England Aster (0.02), Hoary Vervain (0.15), Culver's Root (0.005), Golden Alexander (0.05)

MO CP33-44 BWQ/MONARCH SU 55 AND 57 MIX

This 22 species mix is based on the MO NRCS CRP mix recommendations for CP33- Habitat Buffers for Upland Birds including Bobwhite Quail/ Monarch Habitat Safe, mixture 44 on slopes < 5% for sign up 55 and 57.

Includes (#s/ac): Common Milkweed (0.3), Butterfly Milkweed IA (0.1), Sideoats Grama (0.83), Partridge Pea (0.11), Lanceleaf Coreopsis (0.2), Purple Prairie Clover (0.15), Purple Coneflower (0.04), Downy Sunflower (0.017), False Sunflower (0.065), Prairie Blazingstar (0.02), Wild Bergamot (0.06), Stiff Goldenrod (0.031), Foxglove Beardtongue (0.025), Narrowleaf Mountain Mint (0.004), Grayheaded Coneflower (0.07), Black-eyed Susan (0.046), Little Bluestem (0.9), Showy Goldenrod (0.012), New England Aster (0.01), Hoary Vervain (0.05), Culver's Root (0.004), Golden Alexander (0.05)













This 22 species mix is based on the MO NRCS CRP mix recommendations for CP33- Habitat Buffers for Upland Birds including Bobwhite Quail/ Monarch Habitat Safe, mixture 47 on slopes >/= 5% for sign up 55 and 57.

Includes (#s/ac): Common Milkweed (0.58), Butterfly Milkweed IA (0.22), Sideoats Grama (2.2), Partridge Pea (0.3), Lanceleaf Coreopsis (0.25), Purple Prairie Clover (0.22), Purple Coneflower (0.055), Downy Sunflower (0.033), False Sunflower (0.4), Prairie Blazingstar (0.02), Wild Bergamot (0.051), Stiff Goldenrod (0.07), Foxglove Beardtongue (0.029), Narrowleaf Mountain Mint (0.002), Grayheaded Coneflower (0.1), Black-eyed Susan (0.09), Little Bluestem (2.92), Showy Goldenrod (0.01), New England Aster (0.01), Hoary Vervain (0.05), Culver's Root (0.001), Golden Alexander (0.041)















Click here to order:

CLICK HERE

Partners click here to order:

CLICK HERE









ND PF CRP CP1

This 4 species mix is designed in the NRCS ND CP9 Seed Calculator to meet Standards in the Herbaceous Vegetation Establishment Guide and is appropriate for CRP practices.

Includes (#s/ac): Alfalfa (VNS) (1.1), Intermediate Wheatgrass (2.55), Pubescent Wheatgrass (2.13), Tall Wheatgrass (2.75)

ND PF CRP CP2

This 13 species CP2 mix designed in the NRCS ND CP9 Seed Calculator to meet Standards in the Herbaceous Vegetation Establishment Guide and is appropriate for CRP practices.


Includes (#s/ac): Yarrow (0.01), Big Bluestem (Bonilla) (0.9), Sideoats grama (Butte) (1.2), Plains Coreopsis (0.04), Purple Prairie Clover (0.11), Slender Wheatgrass (0.5), Blanket Flower (0.21), Maximillian Sunflower (Medicine Creek) (0.04), Evening primrose (0.03), Switchgrass (Forestburg) (0.35), Western Wheatgrass (1.6), Prairie Coneflower (0.03), Black-eyed Susan (0.02)











ND PF CRP CP42 POLLINATOR (FORB ONLY)

This 15 species mix designed in the NRCS ND CP9 Seed Calculator to meet Standards in the Herbaceous Vegetation Establishment Guide and is appropriate for CRP practices. This Pollinator mix contains forbs only.

Includes (#s/ac): Yarrow (0.01), Butterfly Milkweed (0.04), Canada Milkvetch (0.28), Plains Coreopsis (0.11), Purple Prairie Clover (0.2), Illinois Bundleflower (1.62), Blanket Flower (0.7), Maximillian Sunflower (Medicine Creek) (0.05), Alfalfa (VNS) (0.55), Wild Bergamot (0.06), Stiff Goldenrod (0.14), Sainfoin (2.1), Large Beardtongue (0.4), Prairie Coneflower (0.03), Black-eyed Susan (0.02)

ND PF CRP CP42 POLLINATOR WITH GRASS

This 15 species mix designed in the NRCS ND CP9 Seed Calculator to meet Standards in the Herbaceous Vegetation Establishment Guide and is appropriate for CRP practices. This Pollinator mix contains forbs and grasses.

Includes (#s/ac): Yarrow (0.01), Sideoats grama (butte) (0.9), Plains Coreopsis (0.05), Purple Prairie Clover (0.11), Illinois Bundleflower (0.9), Slender Wheatgrass (0.5), Blanket Flower (0.42), Maximillian Sunflower (Medicine Creek) (0.05), Alfalfa (VNS) (0.28), Green needlegrass (0.3), Evening primrose (0.02), Western Wheatgrass (0.8), Prairie Coneflower (0.03), Black-eyed Susan (0.02), Little Bluestem (Itasca) (0.8)











ND PF SW POLLINATOR MLRA 54-LOAM

This 14 species mix designed in the NRCS ND CP9 Seed Calculator to meet Standards in the Herbaceous Vegetation Establishment Guide and is appropriate for CRP practices. This Pollinator is appropriate for MLRA 54 on Loamy soils.

Includes (#s/ac): Yarrow (0.01), Big Bluestem (Bonilla) (0.9), Canada Milkvetch (0.12), Plains Coreopsis (0.04), White Prairie Clover (0.04), Purple Prairie Clover (0.23), Illinois Bundleflower (1.8), Slender Wheatgrass (0.75), Blanket Flower (0.35), Maximillian Sunflower (Medicine Creek) (0.05), Green needlegrass (0.6), Stiff Goldenrod (0.01), Western Wheatgrass (1.6), Prairie Coneflower (0.03)

ND PF SW POLLINATOR MLRA 54 SAND

This 14 species mix designed in the NRCS ND CP9 Seed Calculator to meet Standards in the Herbaceous Vegetation Establishment Guide and is appropriate for EQIP Pollinator practices. Mix is appropriate for MLRA 54 on sandy soils.

Includes (#s/ac): Yarrow (0.01), Sideoats grama (Butte) (0.9), Plains Coreopsis (0.04), Purple Prairie Clover (0.19), Illinois Bundleflower (1.08), Blanket Flower (0.35), Maximillian Sunflower (Medicine Creek) (0.05), Green needlegrass (0.9), Stiff Goldenrod (0.07), Western Wheatgrass (1.6), Large Beardtongue (0.12), Prairie Coneflower (0.03), Black-eyed Susan (0.02), Little Bluestem (Itasca) (0.4)











ND PF NW POLLINATOR MLRA 53A SAND

This 13 species mix designed in the NRCS ND CP9 Seed Calculator to meet Standards in the Herbaceous Vegetation Establishment Guide and is appropriate for EQIP Pollinator practices. Mix is appropriate for MLRA 53A on sandy soils.

Includes (#s/ac): Yarrow (0.01), Indian Ricegrass (0.45), Canada Milkvetch (0.12), Plains Coreopsis (0.07), White Prairie Clover (0.12), Purple Prairie Clover (0.38), Green needlegrass (0.6), Stiff Goldenrod (0.07), Western Wheatgrass (1.6), Large Beardtongue (0.12), Prairie Coneflower (0.03), Black-eyed Susan (0.02), Little Bluestem (Itasca) (0.8)

ND PF CENTRAL RANGE WILDLIFE MIX-MLRA 53B SANDY

This 13 species mix designed in the NRCS ND CP9 Seed Calculator to meet Standards in the Herbaceous Vegetation Establishment Guide and is appropriate for EQIP Range 550 practices. Mix is appropriate for MLRA 53B on sandy soils.


Includes (#s/ac): Yarrow (0.01), Canada Milkvetch (0.2), Sideoats grama (Butte) (0.6), Plains Coreopsis (0.01), White Prairie Clover (0.08), Purple Prairie Clover (0.19), Blanket Flower (0.14), Wild Bergamot (0.03), Green needlegrass (1.2), Western Wheatgrass (2), Large Beardtongue (0.08), Prairie Coneflower (0.03), Little Bluestem (Itasca) (0.8)











ND PF CENTRAL WILDLIFE RANGE-MLRA 53B LOAM

This 13 species mix designed in the NRCS ND CP9 Seed Calculator to meet Standards in the Herbaceous Vegetation Establishment Guide and is appropriate for EQIP Range 550 practices. This mix is appropriate for Central Range MLRA 53B on loamy soils.

Includes (#s/ac): Yarrow (0.01), Big Bluestem (Bonilla) (1.2), Canada Milkvetch (0.12), Sideoats grama (Butte) (1.2), Plains Coreopsis (0.04), Purple Prairie Clover (0.15), Illinois Bundleflower (0.36), Maximillian Sunflower (Medicine Creek) (0.05), Green needlegrass (0.6), Western Wheatgrass (1.2), Prairie Coneflower (0.03), Black-eyed Susan (0.02), Little Bluestem (Itasca) (0.4)

ND PF EAST NATIVE WILDLIFE MLRA 56 LIMY

This 12 species mix designed in the NRCS ND CP9 Seed Calculator to meet Standards in the Herbaceous Vegetation Establishment Guide and is appropriate for EQIP practices. Mix is appropriate for East ND MLRA 56 on limy soils.

Includes (#s/ac): Yarrow (0.01), Big Bluestem (Bonilla) (1.5), Sideoats grama (Butte) (1.13), Purple Prairie Clover (0.15), Slender Wheatgrass (0.55), Maximillian Sunflower (Medicine Creek) (0.02), Stiff Goldenrod (0.04), Switchgrass (Forestburg) (0.9), Prairie Coneflower (0.03), Black-eyed Susan (0.02), Little Bluestem (Itasca) (0.45), Indiangrass (Tomahawk) (0.7)











ND PF EAST NATIVE WILDLIFE-MLRA 56 SAND

This 12 species mix designed in the NRCS ND CP9 Seed Calculator to meet Standards in the Herbaceous Vegetation Establishment Guide and is appropriate for EQIP Range 550 practices. Mix is appropriate for MLRA 56 on sandy soils.

Includes (#s/ac): Yarrow (0.01), Big Bluestem (Bonilla) (1.5), Sideoats grama (Butte) (0.75), Plains Coreopsis (0.01), Purple Prairie Clover (0.08), Blanket Flower (0.21), Green needlegrass (1.5), Stiff Goldenrod (0.03), Western Wheatgrass (1), Prairie Coneflower (0.03), Black-eyed Susan (0.02), Little Bluestem (Itasca) (1.13)

ND BASIC PHEASANT

This 14 species mix designed in the NRCS ND CP9 Seed Calculator to meet Standards in the Herbaceous Vegetation Establishment Guide and is appropriate for CRP practices in Eastern ND.

Includes (#s/ac): Yarrow (0.01), Big Bluestem (Bonilla) (0.75), Sideoats grama (Butte) (0.75), Plains Coreopsis (0.07), Purple Prairie Clover (0.19), Blanket Flower (0.35), Maximillian Sunflower (Medicine Creek) (0.1), Switchgrass (Forestburg) (0.45), Western Wheatgrass (1), Prairie Coneflower (0.03), Grayheaded Coneflower (0.07), Blackeyed Susan (0.02), Little Bluestem (Itasca) (0.45), Indiangrass (Tomahawk) (0.7)











ND PF TRADITIONAL DENSE NESTING COVER

Traditional and still effective dense nesting cover for ground nesting birds. This DNC mix contains 5 species and 8.28 #s per acre.

Includes (#s/ac): Alfalfa (VNS) (0.83), Yellow Sweetclover (0.15), Intermediate Wheatgrass (2.55), Tall Wheatgrass (2.75), Western Wheatgrass (2)

ND SALINE SOILS

This 6 species mix designed for Saline Soils in North Dakota.


Includes (#s/ac): Green wheatgrass (2.1), slender wheatgrass (1.65), tall wheatgrass (2.7), western wheatgrass (2.5), alfalfa (0.33), western yarrow (0.02)











ND PF FIREBREAK MIX

This 5 species mix designed to provide easy to manage firebreaks while also providing great brood cover for upland game and browse for large game. Mix contains 5.5 #s per acre of seed.

Includes (#s/ac): Alfalfa (VNS) (2), Alsike Clover (0.5), Ladino Clover (1), Red Clover (1.5), Birdsfood Trefoil (0.5)















Click here to order:

CLICK HERE

Partners click here to order:

CLICK HERE









SD PREFERRED CRP CP2 (102ABC, 56, 55BC, 53BC) LOAMY

This 14 species mix designed to meet the NRCS 327 Conservation Cover Standard in MLRA in Eastern SD on Loamy soils. General CRP CP2 50-point mix.

Includes (#s/ac): Slender Wheatgrass .35#, Little Bluestem .91#, Big Bluestem .74#, Indiangrass .34#, Sideoats Grama 1.09#, Western Wheatgrass 1.25#, Black-eyed Susan .04#, Western Yarrow .02#, Prairie Coneflower .07#, Purple Prairie Clover .19#, Maximilian Sunflower .22#, Indian Blanket .36#, Wild Bergamot .05#, Blanket Flower .35#

SD BASIC CRP CP2 102ABC 56 LOAMY

This 8 species mix designed to meet the NRCS 327 Conservation Cover Standard in MLRA in far eastern SD on Loamy soils. General CRP CP2 50-point mix.

Includes (#s/ac): Switchgrass .89#, Slender Wheatgrass .7#, Little Bluestem 1.37#, Sideoats Grama 1.09#, Western Wheatgrass .97#, Black-eyed Susan .04#, Western Yarrow .02#, Prairie Coneflower .07#.











SD BASIC CRP CP2 55BC 53BC LOAMY

This 7 species mix designed to meet the NRCS 327 Conservation Cover Standard in MLRA in East Central SD on Loamy soils. General CRP CP2 50-point mix.

Includes (#s/ac): Slender Wheatgrass .35#, Little Bluestem .91#, Big Bluestem .74#, Indiangrass .34#, Sideoats Grama 1.09#, Western Wheatgrass 1.25#, Black-eyed Susan .04#, Western Yarrow .02#, Prairie Coneflower .07#, Purple Prairie Clover .19#, Maximilian Sunflower .22#, Indian Blanket .36#, Wild Bergamot .05#, Blanket Flower .35#

SD POLLINATOR - LOAMY SOILS (MLRAS 56, 102ABC)

This 18 species Pollinator mix designed to meet SD CP42 Pollinator standard in MLRAs on Loamy soils

Includes (#s/ac): Alfalfa (VNS) (0.62), Wild Bergamot (0.05), Blanket Flower (0.35), Prairie Cinquefoil (0.01), Prairie Coneflower (0.15), Illinois Bundleflower (0.36), Indian blanket (0.43), Common Milkweed (0.09), Purple Prairie Clover (0.19), White Prairie Clover (0.08), False Sunflower (0.18), Maximillian Sunflower (0.24), Black-eyed Susan (0.08), Yarrow (0.04), Little Bluestem (0.46), Sideoats Grama (0.36), Slender Wheatgrass (0.35), Western Wheatgrass (0.49)











SD TRADITIONAL DENSE NESTING COVER (DNC)

This 5 species habitat mix provides dense nesting cover for Pheasants in South Dakota. Designed to meet the SD Bio Tech Note 15 requirements for cool season dense nesting cover.

Includes (#s/ac): Alfalfa (VNS) (0.93), Yellow Sweetclover (0.21), Intermediate Wheatgrass (2.97), Slender Wheatgrass (2.11), Western Wheatgrass (1.94)

SD DIVERSE DENSE NESTING COVER (DNC)

This 11 species habitat mix meets SD NRCS 327 Conservation Cover Standards. Mix designed to meet the SD Bio Tech Note 15 requirements for dense nesting cover. Appropriate for loamy soils.


Includes (#s/ac): Prairie Coneflower(.07), Plains Coreopsis(.03), Maximillian Sunflower(.22), Black-eyed Susan(.04), Yarrow(.02), Big Bluestem(.37), Switchgrass(.22), Intermediate Wheatgrass(.99), Slender Wheatgrass(2.11), Western Wheatgrass(1.94)











SD BOBWHITE HABITAT (LESS THAN 6% SLOPES)

This 4 species mix meets the seeding recommendations for Bobwhite Quail cover in SD.

For use in the following counties: Tripp, Gregory, Charles Mix, Bon Homme, Yankton, Clay, Union and Lincoln. As described in SD Tech Note #15.

Includes (#s/ac): Green Needlegrass (1.2), Little Bluestem (0.8), Sideoats grama (1.2), Alfalfa (1.0)

SD HEL BOBWHITE HABITAT (GREATER THAN 6% SLOPES)

This 4 species mix meets the seeding recommendations for Bobwhite Quail cover in SD for use on slopes greater than 6%. For use in the following counties: Tripp, Gregory, Charles Mix, Bon Homme, Yankton, Clay, Union and Lincoln. As described in SD Tech Note #15.


<u>Includes (#s/ac):</u> Western wheatgrass (4.7), Green needlegrass (1.5), Sideoats grama (1.5), Alfalfa (1.3)











SD CRP CP1 40 POINT MIX

This 6 species introduced mix is designed to meet the NRCS CRP 327 Conservation Cover Standard statewide in SD on loamy soils. General CRP CP1 40-point mix.

Includes (#s/ac): Alfalfa (0.93), Alsike Clover (0.64), Ladino Clover (0.34), Smooth Bromegrass (1.61), Intermediate Wheatgrass (0.99), Tall Wheatgrass (1.27)

SD WINTER COVER

This 7 species mix designed using SD NRCS Bio Tech Note 15 for winter cover. High quality winter cover for those difficult winter conditions.

Includes (#s/ac): Maximillian Sunflower(.22), Big Bluestem(.74), Little Bluestem(1.14), Indiangrass(.68), Switchgrass(1.12), Intermediate Wheatgrass(.5), Western Wheatgrass1.94)











SD FIREBREAK

Mix designed to provide easy to manage firebreaks while also providing great brood cover for upland game and browse for large game.

Includes (#s/ac): Alfalfa (2.0), Alsike Clover (0.5), Birdsfoot Trefoil (0.5), Red clover (1.5), Ladino clover (1.0)















Click here to order:

CLICK HERE

Partners click here to order:

CLICK HERE









WI PF MIX W - STANDARD POLLINATOR & MONARCH SAFE CP38E-1

Standard WI NRCS-designed Native CRP mix for the Monarch SAFE Program (CP1). Mix includes 7 species.

Includes (#s/ac): Red Clover (0.3), Stiff Goldenrod (0.06), Common Milkweed (0.375), False Sunflower (0.06), Blackeyed Susan (0.06), Orchardgrass (0.5), Timothy (0.5)

WI PF MIX X - STANDARD POLLINATOR & MONARCH SAFE CP38E-2

WI Native CRP mix for the Monarch SAFE CP2 practice. Mix contains 12 native grasses and forbs.

Includes (#s/ac): Bluestem, Big (VNS) (0.25), Sideoats grama (local, vns) (0.75), Wildrye, Canada (VNS) (1), Bluestem, Little (VNS) (1.5), Indiangrass (local or vns) (0.25), Prairie Clover, White (0.19), Milkweed, Common (0.31), Bergamot, Wild (Prairie Beebalm) (0.06), Goldenrod, Stiff (Rigid) (0.06), Susan, Black-eyed (0.06), Goldenrod, Showy (0.03), Aster, New England (0.03)











WI PF MIX Y - STANDARD POLLINATOR & MONARCH SAFE CP38-25

WI Native CRP Monarch SAFE CP25 Mix. Mix contains 16 grasses and forbs.

Includes (#s/ac): Bluestem, Big (VNS) (0.25), Sideoats grama (local, vns) (0.5), Wildrye, Canada (VNS) (0.5), Bluestem, Little (VNS) (1), Indiangrass (local or vns) (0.25), Prairie Clover, White (0.19), Milkweed, Common (0.31), Rattlesnake Master (0.06), Blazingstar, Rough (Tall, Button) (0.03), Bergamot, Wild (Prairie Beebalm) (0.06), Goldenrod, Stiff (Rigid) (0.06), Susan, Black-eyed (0.06), Cup Plant (0.13), Goldenrod, Showy (0.03), Aster, New England (0.03), Aster, Sky Blue (Azure) (0.06)

WI PF Mix E - CP2-1

Standard WI NRCS-developed Native CRP mix

Includes (#s/ac): Grayheaded Coneflower (0.0625), Canada Milkvetch (0.125), Black-eyed Susan (0.0625), Big Bluestem (3), Switchgrass (VNS) (1)











WI PF MIX B - POLLINATOR (WET MESIC)


This mix of 31 species meets and exceeds the NRCS 327 standard for CRP CP-42 programs and is appropriate for use on mesic and wet mesic soils.

Includes(#s/ac): Blue Joint grass (0.01), Sedge, Fox (0.18), American Mannagrass (0.1), Switchgrass (VNS) (0.25), Woolgrass (0.01), Prairie Cord grass (0.1), Milkvetch, Canada (0.35), Milkweed, Swamp (Marsh) (0.03125), Boneset, Common (0.03125), Joe-Pye Weed, Spotted (Spotted Trumpetweed) (0.0125), Sneezeweed (0.075), Alum Root (0.0028), Blazingstar, Prairie (Thickspike) (0.05), Cardinal Flower (0.0085), Lobelia, great blue (0.01875), Bergamot, Wild (Prairie Beebalm) (0.08125), Beardtongue, Foxglove (Smooth penstemon) (0.01875), Mint, Mountain (Common) (Virginia) (0.02), Coneflower, Grayheaded (Yellow) (0.0375), Susan, Black-eyed (0.0625), Susan, Sweet black-eyed (Sweet, Fragrant Coneflower) (0.1), Rosinweed (0.1), Compass Plant (0.01875), Cup Plant (0.01875), Aster, Smooth Blue (0.00625), Aster, New England (0.01375), Purple Meadow Rue (0.00625), Vervain, Blue (0.11875), Ironweed (0.0125), Culver's Root (0.009), Alexander, Golden (0.08125)









WI PF MIX A - POLLINATOR (MESIC - DRY)

This mix of 34 species meets and exceeds the NRCS 327 standard for CP-42 programs and is appropriate for most dry, dry-mesic and mesic soil conditions.

Includes(#s/ac): Bluestem, Big (VNS) (0.25), Sideoats grama (local, vns) (1), Junegrass, Prairie (0.06), Switchgrass (VNS) (0.25), Bluestem, Little (VNS) (1.5), Indiangrass (local or vns) (0.25), Dropseed, Prairie (0.08), Leadplant (0.1), Milkvetch, Canada (0.4), Indigo, White Wild (0.0125), Partridge Pea (0.4), Prairie Clover, White (0.1), Prairie Clover, Purple (0.4), Lespedeza, Roundhead (Bushclover) (0.03125), Hyssop, Fragrant Giant(anise) (Blue Giant) (0.01875), Milkweed, Common (0.03125),Milkweed, Butterfly (Butterflyweed) (0.03125), Boneset, False (0.03125), Coneflower, Purple (0.25), Sunflower, False (Oxeye) (0.1), Alum Root (0.00625), Bergamot, Wild (Prairie Beebalm) (0.1), Evening primrose, Common (0.1), Goldenrod, Stiff (Rigid) (0.0125), Beardtongue, Foxglove (Smooth penstemon) (0.03125), Cinquefoil, prairie (potentilla) (0.0375), Mint, Mountain (Common) (Virginia) (0.01875), Coneflower, Grayheaded (Yellow) (0.05), Susan, Blackeyed (0.125), Susan, Sweet black-eyed (Sweet, Fragrant Coneflower) (0.0125), Goldenrod, Showy (0.00625), Aster, Heath (0.00625), Aster, Sky Blue (Azure) (0.0125), Vervain, Hoary (0.125)









WI PF MIX ZZZ- EQIP/CSP DRY MONARCH POLLINATOR

This 40 species (4 grass, 18 forb) NRCS designed mix for Habitat Development for Pollinators and Butterflies under the Wisconsin NRCS 327 Standard. It is appropriate for EQIP and CSP practices on Dry to Mesic sites for Monarchs.

Includes(#s/ac): Sideoats grama (local, vns) (1), Junegrass, Prairie (0.1), Switchgrass (VNS) (0.2), Bluestem, Little (VNS) (1.4), Indiangrass (local or vns) (0.1), Dropseed, Prairie (0.2), Leadplant (0.0625), Partridge Pea (0.375), Prairie Clover, White (0.1875), Prairie Clover, Purple (0.125), Lespedeza, Roundhead (Bushclover) (0.125), Milkweed, Common (0.578125), Milkweed, Butterfly (Butterflyweed) (0.1075), Boneset, False (0.01875), Coreopsis, Lanceleaf (sand) (0.09375), Coneflower, Pale Purple (0.09375), Rattlesnake Master False (Oxeye) (0.15625), (0.15625),Sunflower, Blazingstar, Rough (Tall, Button) (0.03125), Blazingstar, Meadow (Rocky Mountain) (0.03125), Blazingstar, Prairie (Thickspike) (0.05), Bergamot, Wild (Prairie Beebalm) (0.0625), Mint, Dotted (Spotted Bee Balm) (0.05), Evening primrose, Common (0.03125), Goldenrod, Stiff (Rigid) (0.1125), Beardtongue, Large (shell leaf) (0.09375), Cinquefoil, prairie (potentilla) (0.025), Mint, Mountain (Common) (Virginia) (0.00625), Coneflower, Grayheaded (Yellow) (0.125), Susan, Black-eyed (0.125), Susan, Sweet black-eyed (Sweet, Fragrant Coneflower) (0.09375), Rosinweed (0.04), Goldenrod, Showy (0.03125), Aster, Heath (0.0125), Aster, Smooth Blue (0.05625), Aster, Sky Blue (Azure) (0.03125), Spiderwort, Ohio (Common) (0.01875), Vervain, Hoary (0.0625), Culver's Root (0.00625), Alexander, Golden (0.1)









WI PF MIX Z - EQIP / CSP MESIC MONARCH POLLINATOR

This 40 species (6 grass, 34 forb) mix designed to provide Habitat Development for Pollinators and Butterflies under the Wisconsin NRCS 327 Standard. It is appropriate for EQIP and CSP practices on Mesic sites for Monarchs.

Includes(#s/ac): Bluestem, Big (VNS) (0.25), Sideoats grama (local, vns) (1.5), Junegrass, Prairie (0.05), Switchgrass (VNS) (0.25), Bluestem, Little (VNS) (1.5), Indiangrass (local or vns) (0.25), Leadplant (0.0625), Milkvetch, Canada (0.125), Partridge Pea (0.375), Prairie Clover, Purple (0.1875), Lespedeza, Roundhead (Bushclover) (0.075), Milkweed, Swamp (Marsh) (0.0625),Milkweed, Common (0.549),Milkweed, Butterfly (Butterflyweed) (0.0625), Coreopsis, Lanceleaf (sand) (0.125), Coneflower, Pale Purple (0.1125), Rattlesnake Master (0.0375), Sunflower, Sawtooth (0.01875), Sunflower, False (Oxeye) (0.15625), Alum Root (0.00125), Blazingstar, Meadow (Rocky Mountain) (0.05), Blazingstar, Prairie (Thickspike) (0.0625), Bergamot, Wild (Prairie Beebalm) (0.125), Evening primrose, Common (0.025), Goldenrod, Stiff (Rigid) (0.0625), Beardtongue, Foxglove (Smooth penstemon) (0.03125), Cinquefoil, prairie (potentilla) (0.0125), Mint, Mountain (Common) (Virginia) (0.0125), Coneflower, Grayheaded (Yellow) (0.15625), Susan, Black-eyed (0.1125), Rosinweed (0.125), Compass Plant (0.03125), Cup Plant (0.09375), Aster, Smooth Blue (0.0625), Aster, New England (0.0375), Aster, Sky Blue (Azure) (0.04375), Spiderwort, Ohio (Common) (0.0625), Vervain, Hoary (0.125), Culver's Root (0.0125), Alexander, Golden (0.0625)









WI PF MIX F - CP2-3 / CP38E CP2 DRY - MESIC (GHRA,SWGCA)

Standard WI NRCS-developed Native CRP Mix: CP2-3 containing 8 species

Includes (#s/ac): Wild Bergamot (0.0625), Grayheaded Coneflower (0.0625), Purple Prairie Clover (0.125), Big Bluestem (0.5), Little Bluestem (1.5), Indiangrass (0.5), Sideoats Grama (1), Switchgrass (VNS) (0.5)

WI PF MIX FF - SAFE CP25 DRY MESIC (GHRCA, SWGCA)

Standard WI NRCS-developed Native CRP mix consisting of 16 species for the CP25 practice on dry mesic soil types in the GHRA and SWGCA SAFE areas.

Includes (#s/ac): Sky Blue Aster (0.0313), Wild Bergamot (0.0625), Rough Blazingstar (0.0313), Prairie Cinquefoil (0.0156), Grayheaded Coneflower (0.0625), Stiff Goldenrod (0.0313), Leadplant (0.0313), Roundhead Lespedeza (0.125), Purple Prairie Clover (0.125), Ohio Spiderwort (0.0625), Little Bluestem (1.5), Prairie Dropseed (0.13), Indiangrass (0.5), Prairie Junegrass (0.13), Sideoats Grama (1.5), Switchgrass (VNS) (0.25)











WI PF MIX G - CP2-4 / CP38E CP2 MESIC (GHRA, SWGCA)

Standard 8 species WI NRCS-developed Native CRP mix CP2-4

Includes (#s/ac): Wild Bergamot (0.0625), Grayheaded Coneflower (0.0625), Black-eyed Susan (0.0625), Big Bluestem (0.5), Little Bluestem (1.25), Indiangrass (1), Switchgrass (VNS) (0.5), Canada Wildrye (1)

WI PF MIX H - CP2-6 / CP38E CP2 WET (GHRA, SWGCA)

Standard WI NRCS-developed Native CRP mix CP2-6, consisting of 8 species


Includes (#s/ac): Cup Plant (0.125), Ironweed (0.0625), Blue Vervain (0.0625), Big Bluestem (1), Indiangrass (1), Prairie Cord grass (0.5), Switchgrass (VNS) (1), Canada Wildrye (1)











WI PF MIX HH - SAFE CP25 WET (GHRA, SWGCA)

Standard WI NRCS-developed Native CRP mix for the CP25 practice on wet soil types in the GHRA and SWGCA SAFE areas consisting of 16 species.

Includes (#s/ac): Golden Alexander (0.0625), Common Boneset (0.0313), Culver's Root (0.0156), Cup Plant (0.125), Ironweed (0.0313), Spotted Joe-Pye Weed (0.0313), Swamp Milkweed (0.0625), Showy Tick-trefoil (0.125), Blue Vervain (0.0625), Big Bluestem (0.5), Fowl manna grass (0.25), Indiangrass (0.75), Prairie Cord grass (0.5), Fox Sedge (0.25), Switchgrass (VNS) (1), Canada Wildrye (1)

WI PF MIX I - CP2-7 / CP38E CP2 WET - MESIC (GHRA, SWGCA)

Standard WI NRCS-developed Native CRP mix CP2-7, consisting of 7 species

Includes (#s/ac): New England Aster (0.0625), Wild Bergamot (0.0625), Grayheaded Coneflower (0.0625), Big Bluestem (1), Prairie Cord grass (0.25), Switchgrass (VNS) (2), Canada Wildrye (1)











WI PF MIX II - CP38E CP25 WET MESIC (GHRA, SWGCA)

Standard WI NRCS-developed Native CRP mix for the CP25 practice consisting of 15 species on wet mesic soil types in the GHRA and SWGCA SAFE areas.

Includes (#s/ac): Golden Alexander (0.0313), New England Aster (0.0313), Wild Bergamot (0.0156), Prairie Blazingstar (0.0313), Grayheaded Coneflower (0.0313), Cup Plant (0.125), Wild White Indigo (0.0938), Ironweed (0.0313), Sneezeweed (0.03), Black-eyed Susan (0.0313), Big Bluestem (1.25), Indiangrass (0.75), Prairie Cord grass (0.25), Switchgrass (VNS) (1.5), Canada Wildrye (1)

WI PF MIX J - CP4D-7

Standard WI NRCS-developed native CRP mix CP4D-7 consisting of 6 species

Includes (#s/ac): Grayheaded Coneflower (0.0625), Purple Prairie Clover (0.125), Black-eyed Susan (0.0625), Big Bluestem (1), Indiangrass (3), Switchgrass (VNS) (1)











WI PF MIX JJ CP4D-8

Standard WI NRCS-developed native CRP mix CP4D-7 consisting of 7 species

Includes (#s/ac): Grayheaded Coneflower (0.0625), Purple Prairie Clover (0.125), Black-eyed Susan (0.0625), Big Bluestem (1), Little Bluestem (1), Indiangrass (3), Switchgrass (VNS) (1)

WI PF MIX K CP38E CP25 DRY WPHRA

Standard WI NRCS-developed Native CRP mix CP38E CP25 Dry WPHRA consisting of 17 species

Includes (#s/ac): Sky Blue Aster (0.0313), Wild Bergamot (0.0313), Rough Blazingstar (0.0313), Prairie Cinquefoil (0.0156), Grayheaded Coneflower (0.0156), Stiff Goldenrod (0.0156), Leadplant (0.0313), Roundhead Lespedeza (0.125), Purple Prairie Clover (0.125), Ohio Spiderwort (0.0625), Black-eyed Susan (0.0156), Little Bluestem (2), Prairie Dropseed (0.25), Indiangrass (0.25), Prairie Junegrass (0.25), Sideoats Grama (1.5), Switchgrass (VNS) (0.25)











WI PF MIX L - CP38E CP25 MESIC WPHRA

Standard WI NRCS-developed Native CRP mix CP38E CP25 Mesic (WPHRA) consisting of 17 species

Includes (#s/ac): New England Aster (0.0313), Sky Blue Aster (0.0313), Smooth Blue Aster (0.0313), Wild Bergamot (0.0313), Prairie Blazingstar (0.0625), Grayheaded Coneflower (0.0313), Culver's Root (0.0156), Canada Milkvetch (0.125), Purple Prairie Clover (0.0625), False Sunflower (0.0625), Black-eyed Susan (0.0313), Big Bluestem (0.25), Little Bluestem (1.75), Indiangrass (0.25), Sideoats Grama (0.75), Switchgrass (VNS) (0.25), Canada Wildrye (0.75)

WI PF MIX M - CP38E CP2 DRY (GHRA, SWGCA)

Standard WI NRCS-developed Native CRP mix CP38E CP2 Dry (GHRA, SWGCA) consisting of 7 species

Includes (#s/ac): Grayheaded Coneflower (0.0625), Stiff Goldenrod (0.0625), Purple Prairie Clover (0.125), Big Bluestem (0.5), Little Bluestem (1.5), Indiangrass (0.5), Sideoats Grama (1.5)











WI PF MIX O - CP38E CP2 DRY (CWGCA)

Standard WI NRCS-developed Native CRP mix CP38E CP2 Dry CWGCA consisting of 9 species

Includes (#s/ac): Rough Blazingstar (0.0625), Grayheaded Coneflower (0.0625), Stiff Goldenrod (0.0625), Purple Prairie Clover (0.125), Black-eyed Susan (0.0625), Big Bluestem (0.5), Little Bluestem (1.5), Indiangrass (0.5), Sideoats Grama (1.5)

WI PF MIX P - CP38E CP2 WET (CWGCA)

Standard WI NRCS-developed Native CRP mix CP38E CP2 Wet CWGCA consisting of 7 species

Includes (#s/ac): Cup Plant (0.125), Ironweed (0.0625), Blue Vervain (0.0625), Big Bluestem (1), Prairie Cord grass (0.5), Switchgrass (VNS) (1), Canada Wildrye (1)











WI PF MIX Q - CP38E CP25 WET (WPHRA)

Standard WI NRCS-developed Native CRP mix CP38E CP25 Wet WPHRA consisting of 16 species

Includes (#s/ac): Golden Alexander (0.0625), Common Boneset (0.0313), Culver's Root (0.0156), Cup Plant (0.125), Ironweed (0.0313), Spotted Joe-Pye Weed (0.0313), Swamp Milkweed (0.0625), Showy Tick-trefoil (0.125), Blue Vervain (0.0625), Big Bluestem (0.5), Fowl manna grass (0.25), Indiangrass (0.75), Prairie Cord grass (0.5), Fox Sedge (0.5), Switchgrass (VNS) (0.75), Canada Wildrye (1)

WISCONSIN MIX R - CP1-2 / CP38E (CWGCA) CP1-1 (CRP 10PT)

Standard WI NRCS-developed introduced CRP mix CP1-2 / CP38E CWGCA CP1-1 consisting of 3 species

<u>Includes (#s/ac):</u> Red Clover (5), Orchardgrass (3), Timothy (2)











WISCONSIN MIX S - CP1-6 / CP38E (CWGCA) CP1-3 CRP 40PT

Standard WI NRCS-developed introduced CRP mix CP2-1 and CP38E CWGCA CP1-3 consisting of 5 species

<u>Includes (#s/ac):</u> Ladino Clover (0.5), Red Clover (5), Orchardgrass (1), Redtop (1), Timothy (2)

WISCONSIN MIX T - CP1-7 / CP38E CWGCA CP1-4, KBB CP1-1, SWGCA CP1-1

Standard WI NRCS CRP mix developed as CP1-7, CP38E CWGCA CP1-4, KBB CP1-1 and CP38E SWGCA CP1-1 consisting of 4 species

<u>Includes (#s/ac):</u> Alfalfa (VNS) (6), Orchardgrass (1), Redtop (2), Timothy (2)











WISCONSIN MIX U - CP4D-4 INTRODUCED CRP CP1 40 PT MIX

Standard WI NRCS-developed introduced CRP mix CP4D-4 consisting of 4 species. Meets 40-point CRP CP4D criteria.

<u>Includes (#s/ac):</u> Ladino Clover (0.5), Red Clover (6), Orchardgrass (1), Timothy (2)

WI CP 43 BASIC PRAIRIE STRIP MIX

This CP 43 Prairie Strip Mix consists of 22 species and meets and exceeds the NRCS standard. Recommended for Prairie Strips on little to no slope, under 5% slope.

Includes (#s/ac): Golden Alexander (0.05), Smooth Blue Aster (0.04), Foxglove Beardtongue (0.01), Wild Bergamot (0.04), Grayheaded Coneflower (0.1), Purple Coneflower (0.17), Lanceleaf Coreopsis (0.07), Culver's Root (0.002), Evening primrose (0.025), Stiff Goldenrod (0.02), Common Milkweed (0.08), Partridge Pea (0.15), Purple Prairie Clover (0.05), Ohio Spiderwort (0.05), False Sunflower (0.08), Black-eyed Susan (0.1), Big Bluestem (0.8), Little Bluestem (0.8), Indiangrass (0.5), Sideoats Grama (0.8), Switchgrass (VNS) (0.3), Virginia Wildrye (0.3)











WI CP 43 PRAIRIE STRIP 30-10 MIX

This CRP CP 43 Prairie Strip mix meets and exceeds the NRCS Standard. Recommended for Prairie Strips on steep slopes, greater then 5%. Consists of 20 species and over 40 seeds per square foot. 30 grasses and 10 wildflowers per square foot. 8.27 pounds per acre.

Includes (#s/ac): Smooth Blue Aster (0.02), Foxglove Beardtongue (0.008), Wild Bergamot (0.04), Grayheaded Coneflower (0.13), Purple Coneflower (0.15), Lanceleaf Coreopsis (0.07), Culver's Root (0.003), Stiff Goldenrod (0.02), Common Milkweed (0.09), Partridge Pea (0.2), Purple Prairie Clover (0.1), Ohio Spiderwort (0.05), False Sunflower (0.093), Black-eyed Susan (0.1), Big Bluestem (1.6), Little Bluestem (1.2), Indiangrass (1.3), Sideoats Grama (1.4), Switchgrass (VNS) (0.7), Virginia Wildrye (1)

WI CP 43 PRAIRIE STRIP 20-20 MIX

CP 43 Prairie Strip Mix meets and exceeds NRCS Standard. Contains 26 species. Consisting of 40 seeds per square foot, 20 wildflower and 20 grass seeds per square foot.

Includes (#s/ac): Golden Alexander (0.12), Smooth Blue Aster (0.08), Foxglove Beardtongue (0.05), Wild Bergamot (0.125), Prairie Blazingstar (0.025), Grayheaded Coneflower (0.18), Purple Coneflower (0.12), Lanceleaf Coreopsis (0.1), Culver's Root (0.005), Evening primrose (0.04), Stiff Goldenrod (0.03), Roundhead Lespedeza (0.06), Common Milkweed (0.11), Partridge Pea (0.2), Purple Prairie Clover (0.12), Rattlesnake Master (0.065), Ohio Spiderwort (0.06), False Sunflower (0.13), Black-eyed Susan (0.11), Hoary Vervain (0.03), Big Bluestem (1), Little Bluestem (1.1), Indiangrass (0.8), Sideoats Grama (1.1), Switchgrass (VNS) (0.3), Virginia Wildrye (0.61)









BIG BUCK BRASSICA

It's the perfect blend of forage turnips, radishes, and other brassica varieties to attract and keep deer on your property all fall and winter.

COVEY RISE

Create a great hunting habitat with a mix of five food heavy grainbearing sorghums that even deer and turkey will dine on.

DOVE KANDY

Stand alone or mixed with other food plots, this mix will drive your doves, game birds, and songbirds wild!

DUCK KANDY

Perfect mix of millet varieties and buckwheat to put more ducks and geese on your property.

BLIZZARD BUSTER

A grain and forage sorghum blend providing food and cover for your birds.

VISIT OUR ONLINE STORE TO VIEW THE FULL LINE OF PRODUCTS







ORDER CRP, HABITAT, AND FOOD PLOT MIXES TODAY 1-866-914-7373 · www.pfhabitatstore.com

All chapter orders will be paid via CMS transfer via phone or partner account order online.

COMMON WILDFLOWER BLOOM GUIDE







GRAIN FOOD PLOT MIXES	COMPONENTS	DESCRIPTION (ALL MIXES ARE ENHANCED WITH MICRONUTRIENT COATINGS)
BLIZZARD BUSTER	Mixture of five grain and four tall forage sorghums. Concep-treated for improved weed control.	Blizzard Buster is the 800-pound gorilla of winter food and cover mixes. This 5 grain and 4 tall forage sorghum blend provides maximum shelter and food for game birds in tough winter weather, especially when established in large plots. Planting near existing winter cover will enhance the character of that habitat, and improve bird survival. A 25 lb bag plants up to 4-5 acres. Establish with row planters, grain drills or broadcast seeders in well drained areas when soils warm to 60 degrees.
COVEYRISE	Blend of five intermediate grain sorghums adaptable to many areas. Concep-treated for improved weed control.	Covey Rise is a mix of 3 to 5 foot heavy grain-bearing sorghums with bright fall colors, super food value & great habitat structure! It creates great hunting habitat, and pheasants and quail love it. Though Covey Rise is a bit less attractive to the big game that often clean out food plots, deer and turkeys happily dine on Covey Rise when conditions get tough. A 25 lb bag will plant up to 4-5 acres. Establish with row planters, grain drills or broadcast seeders in well drained areas when soils warm to 60 degrees.
EARLY LONGTAIL MILO	Early maturing grain sorghum with a wide area of adaptation. Concep-treated for improved weed control.	Short growing seasons are no longer a barrier to good food production for wildlife. Early Longtail Milo is a maturity grain sorghum that provides a heavy seed crop in as little as 85 days in normal growing conditions. It makes for great hunting habitat that affords maximum visibility of your bird dogs while working cover. A 25 lb bag plants up to 4-5 acres. Establish with row planters, grain drills or broadcast seeders in well drained areas when soils warm to 60 degrees.
ROOSTER BOOSTER	Grain sorghums, corn, buckwheat and millets.	Rooster Booster creates diverse feeding habitat for deer, turkeys, pheasants, quail, and other wildlife. It will normally outlast corn-only food plots. This early maturing mix is heavy on sorghums, with plenty of corn, buckwheat and German millet. Wide range of components insures heavy wildlife use through the hunting season and winter. A 25 lb bag plants 3 acres. Broadcast onto a prepared, well fertilized seedbed and harrow in.
"DOVE KANDY" SUNFLOWERS	Diverse sunflower mixture with multiple maturity ranges and heights.	Sunflowers rank first among the favorite foods of wildlife! Dove Kandy Sunflowers will drive your doves, game birds, and songbirds wild! This blend of small, black-seeded, high oil varieties are chock-full of energy — just the ticket to draw doves into early fall shooting fields. A 25 lb bag plants up to 4-5 acres via row planters, or broadcast seeders. Seed Dove Kandy, as a stand alone plot or salt into your other food plots to add diversity.
WINTER SHIELD	Four distinct grain sorghums, six forage sorghums and two millets. NOT Conceptreated.	Winter Shield (AKA Nebraska Mix) is loaded with high-yielding forage and grain sorghums, and millets to provide the critical energy needed to pull your birds through the toughest winters. It creates among the best winter cover and food available for pheasants and quail. It will increase your birds' survival prospects, while providing a haven for other wildlife. A 25 lb bag plants up to 4-5 acres. Establish with row planters, grain drills or broadcast seeders in well drained areas when soils warm to 60 degrees.

V

GRAIN FOOD PLOT MIXES CONTINUED	COMPONENTS	DESCRIPTION (ALL MIXES ARE ENHANCED WITH MICRONUTRIENT COATINGS)		
SOUTHERN QUAIL QUISINE	Millet, Brown top, Millet, Proso, Millet, Pearl, Milo (Grain Sorghum), Clover, Arrowleaf, Ragweed, German millet	Southern Quail Quisine utilizes carefully selected millets, ragweed, and sorghum, providing that much needed easy to digest food source that will also provide escape and brooding cover that quail, turkey, and upland birds' desire. A 12 lb bag plants up to 1-2 acres. Establish with row planters, grain drills or broadcast seeders in well drained areas when soils warm to 60 degrees.		
MIDWEST QUAIL QUISINE	Millet, Brown top, Millet, Japanese, Millet, Proso, Millet, Pearl, Milo (Grain Sorghum), Clover, Berseem, German millet	Midwest Quail Quisine utilizes carefully selected millets, annual clover, and sorghum, providing that much needed easy to digest food source that will also provide escape and brooding cover that quail, turkey, and upland birds' desire. This mix is best broadcast onto a prepared, well fertilized seedbed, then harrowed in. A 25 lb bag plants 2 -4 acres of fabulous food plot. Establish with row planters, grain drills or broadcast seeders in well drained areas when soils warm to 60 degrees.		
WESTERN FOOD & COVER MIX	Sunflowers, forage and grain sorghums, sudan grass, sweet clover and millets.	Western Mix is designed for drier climates that uses short maturity varieties, nut it can also create a two year cover plot. This exclusive blend of sunflowers, forage and grain sorghums, sudan grass, sweet clover and millets is best planted with a broadcast seeder. A blend of grasslike and broadleaf plants, a 25 lb bag will produce 3 to 4 acres of winter cover, and a very effective food plot. And in the second year, it becomes great brood-rearing cover.		
DUCK KANDY	Millet, Brown top, Millet, Japanese, Millet, Proso, and Buckwheat	3 millet varieties and buckwheat make this mix a waterfowler's dream. This is the perfect mix for wetlands, pond edges, impoundments, and ponded fields. Average maturity is 50 - 60 days. Optimal planting time is June through late July. It can be broadcasted, drilled, or thrown out by hand. Whether you're a serious waterfowler or just want to see more wildlife on your farm, this mix will put more ducks and geese on your property. A 25 lb bag plants 1 acres.		
CLOVER KANDY	Includes Alfalfa, Ladino White, Medium Red, Alsike, Arrowleaf, Berseem, and Crimson Clovers	Clover Kandy is the perfect blend of high protein clovers and other legumes providing the ultimate green browse for deer and turkey while providing nesting and brood-rearing cover for pheasants and quail. This mix stays green most of the year providing the ultimate all-around food plot. It can also be used for green firebreaks. Clover Kandy lasts 2-4 years before needing to replant. 10# bag plants 1 acre. Establish with row planters, grain drills or broadcast seeders in well drained areas		
BIRD, BUCK & BROOD	Includes Buckwheat, Foxtail Millet, Sunflowers, Alfalfa, Cow peas, Cool Season Peas, Rapeseed, Hyb. Forage Brassica, white Mustard, Partridge Pea, and Yellow Blossom Clover	Bird, Buck, & Brood Food is a highly-diverse blend of high protein legumes, forbs, brassicas, and small grains providing the ultimate buffet for deer and turkey while providing nesting and brood-rearing cover for pheasants and quail. This mix provides early season food sources, late season food sources, and year-round cover. It is literally the "Jack-of-all-trades" food plot. A 25 lb bag will plant 1 acre. Establish with row planters, grain drills or broadcast seeders in well drained areas		

UND

12

GREEN BROWSE FOOD PLOT MIXES	COMPONENTS	DESCRIPTION (ALL MIXES ARE ENHANCED WITH MICRONUTRIENT COATINGS AND INNOCULANTS)
2 C TURKEY	Forage Chicory, Clover, Ladino, Clover, White (Dutch), Chufa	3 C Turkey is a specially designed perennial turkey mix that includes the 3 species that turkeys can resist. This mix if well maintained will have them returning from year to year. This 8.5 LB Clover, Chufa, and Chicory mix seeds up to 1 acre. Establish with row planters, grain drills or broadcast seeders in well drained areas.
EUCKY 13 WHITETAIL	Forage Brassica(Pasja), Rape, Kale, Forage Turnip (Appin), Purple Top Turnip, Daikon Radish, Forage Collards, African Cabbage, Lentils, Forage soybeans, Okra, Mungbeans, Cowpeas	Lucky 13 Whitetail mix contains 13 annual forage species whitetails can not resist. If you are tired of that typical mix that does well for a while then gets hammered all at once over night then this is the mix for you. This all inclusive well balanced spring planted mix, with all of its diversity has species that will continue to grow and mature at different rates so that the food plot is always working for you. Establish with row planters, grain drills or broadcast seeders in well drained areas This 25# bag plants 1/2- 1 acre.
FATAL FALL FORAGE	Forage Brassica (Pasja), Rape, Forage Turnip (Appin), Forage Collards, Clover, Berseem, Clover, Arrowleaf	The mix of highly desired forage brassicas and annual clovers is a mix that whitetails can not resist. This mix is designed to be planted in July to mid August in the Midwest and into mid September in the south and southeast. These forage varieties are extremely sought after by whitetails in mixes and we have combined them for you into one delectable buffet for your fall whitetail experience. Drill or broadcast in in late summer or early fall. This 12# bag plants 1-2 acres
BIG BUCK BRASSICA	Forage radishes, Forage turnips, Purpletop turnips, Hybrid forage brassicas, Rapeseed, and Kale	Big Buck Brassica is specially designed to produce superior browse that deer and turkeys find irresistible. The high sugar content in the mature leaves attracts and keeps deer where you want them. This mix grows fast, reaching up to 24 inches just 45 days after planting, and browsed leaves are quickly replaced. Add this fall forage mix to your food plot program to boost your chances of taking a nice buck this fall. Drill or broadcast in spring, late summer or early fall. Sold in 6LB 1 acre bags.
SUMMER SWEET SPOT	Awnless Wheat, Winter Pea, Forage Soybeans, Buckwheat, Berseem Clover	Summer Sweet Spot has been designed for that late summer annual planting that will provide quality food source, with forage soybeans, buckwheat, winter peas, and berseem clover through fall season, but also provides the benefit of winter wheat through the winter, since the wheat species is Awnless this food plot mix will provide value all the way into summer. 25 lb 1/2 acre bags. Drill or broadcast and work into the soil in late summer or early fall.
Rico WINTER WONDERLAND	Awnless wheat, Winter oats, Winter barley	This late season targeted mix is designed to be planted late summer through early fall. With varieties of wheat, barley, and oats chosen for their late season and over wintering properties will provide something that no other food plot mix can provide. That quality forage hotspot all winter long. the wheat will continue through spring and into summer for those long-term annual benefits. Drill or broadcast in in late summer or early fall. This 25 lb bag plants 1/4 acre.

COMPONENTS

DESCRIPTION



Bluestem, Big (Pawnee), Switchgrass (Blackwell), Switchgrass (Cave N Rock), Switchgrass (Kanlow), Indiangrass (Neb 54)

Use this mix to establish protective bedding areas, or create protected travel corridors for whitetail. you can even use this mix as a screening mix to conceal those visible small fields of your access to stands and blinds. This Native screening and or bedding mix is specially designed with highly productive varieties of our best tall Native grasses. The diversity of the grass and structures assures it will stand up to even the toughest winter storms. This mix should be Spring planted by either a Native Seed drill or can be broadcasted in a well prepared seed bed. 1 Bag plants 1Acre

PF/QF POLLINATOR MIXES



THOUGHTFULLY DESIGNED & HIGHLY DIVERSE POLLINATOR HABITAT

- Critical Habitat for Our Native Pollinators
- Great Brood Habitat for Pheasants & Quail
- Specially Designed Mixes for the Upper Midwest
- Now Offering Quality Pollinator Mixes for the East and West

INFORMATION

INFORMATION & ORDERING:



FOOD PLOTS – A CRITICAL WILDLIFE HABITAT PRACTICE FOR YOUR FARM

GRAIN-BASED FOOD PLOTS - High energy, grain-based food plots are an essential management practice for game birds and other wildlife on private lands. Regardless of winter severity, it always makes good sense to provide additional food and cover for crisis situations, to use food plots to increase habitat diversity, and to create habitat for hunting and wildlife viewing. Where primary winter cover is limited, planting grain-based mixes (like sorghum blends) will provide structural cover in addition to food. Creating larger plots adjacent to your primary wintering areas increases the character of that shelter for your birds. That helps you achieve your primary objective—to bring your hens through the winter in peak condition for spring breeding, so improved body weight helps maximize chick production.

BROWSE MIXES - The Bird and Buck Line of green browse mixes from Pheasants Forever and Quail Forever provide forage that will help attract big game to your farm. In some cases, these mixes can also provide high quality brood habitat for upland birds. These mixes are a magnet for wildlife. They attract whitetails and other species to your property, and hold them there. PF/QF browse mixes are comprised of specially developed protein and energy rich forages that deer find irresistible. In addition, several Bird and Buck forage mixes create a leafy, insect rich structure that is important for gamebird chicks.

FREQUENTLY ASKED QUESTIONS

WHY DO I NEED FOOD PLOTS ON MY FARM? High quality grain food plots play a critical role in the relationship between food, cover, movement and winter bird mortality. The logic is simple. Locating well-planned food and cover plots adjacent to heavy roosting cover provides a dependable source of high-energy food. With the food adjacent to winter cover, birds establish safe foraging patterns, and movements are minimized — so predation and weather losses are reduced.

WHAT MAKES PF/QF MIXES SPECIAL? Our biologists have developed PF/QF grain and forage mixes to provide the food and cover prescription that the wildlife on your farm need. Through continual product improvement, we have formulated very specific blends that are adaptable to most growing conditions, and that maximize benefits for your wildlife.

ARE SPECIALIZED MIXES WORTH THE EXTRA COST? Yes. Seed is likely the smallest expense in your overall food plot spending, yet it is the foundation of your effort to improve wildlife survival. Buy the very best seed that you can for your food plots. PF/QF food plot products come to you after extensive development and research, and following years of successful establishment on farms across the country. And they come to you with the full backing of Pheasants Forever and Quail Forever, two of the nation's most respected private conservation organizations.

MUST I USE HERBICIDES? Weeds are the most serious threat your food plot will face. Thus, we recommend some sort of herbicide treatment. Food plots planted without weed control have highly variable results. Weed problems can be addressed by tillage, chemical suppression, or a combination of both. While a few weeds actually improve food plot diversity, severe competition that causes the primary planting to fail wastes your food plot investment, and puts your wildlife in a bad position for winter. PF/QF food plot mixes are not RoundUp Ready, however, some are Concep-treated to allow expanded weed control. Pay attention to weed control recommendations on the bag for the best planting result.

DO I NEED FERTILIZER? Yes. Food plots are a crop for your wildlife--fertilize accordingly. Nutrient needs are easily assessed before planting season with a simple soil test (farm co-ops routinely do this at low cost), and the results will allow you to amend the soil properly. Legume food plots do not need nitrogen, but may require other supplements to optimize the stand. Grain plots almost always require significant nitrogen, and other supplemental nutrients (rotating into old legume browse areas may save you some money on nitrogen). PF/QF mixes carry micronutrient seed coatings to help our seed to get a jump on early growth. Even so, primary food plot fertilization is a must-do.

HOW DO I DECIDE WHICH MIXES ARE RIGHT FOR MY FARM? First examine your habitat objectives for your farm. What do you want to accomplish for which wildlife species? What are your desires for hunting and viewing? Look closely at winter food and cover conditions. If high energy winter food is limited, or poorly distributed, you need grain food plots to assist gamebirds. If deer lack succulent forage, you may need green browse plots, as well. Usually, if you have sufficient water and growing season length, there is a PF/QF food plot mix that will meet your needs.

WHEN IS THE BEST TIME TO PLANT? With a few exceptions, Signature series mixes are planted in the spring. The agricultural operations occurring in your area will give you some idea of when to plant, but not all types of seed can be planted at the same time. Detailed planting instructions are found on each PF/QF food plot mix. Read them carefully.

WHAT ABOUT PLANTING EQUIPMENT? Signature Series food plot mixes can be established with standard row planters, drills, drop seeders, or with broadcast seeders mounted on a tractor, ATV or pickup truck. Complete planting instructions are on each bag. If you do not have your own equipment, it can often be rented from USDA Offices, local implement dealers, or wildlife agencies. PF/QF habitat specialists, private contractors, or a neighbor also may be able to assist you in planting your food plot. For more information on food plot design and other considerations consult the Pheasants Forever Essential Habitat Guide, and/or talk to a PF Habitat Specialist near you.

WHAT'S THE BEST LOCATION FOR MY WINTER FOOD PLOTS? Grain food plots should restrict unnecessary travel, and provide high quality food and supplemental cover adjacent to your bird's primary wintering areas. Birds forced to cross hostile territory for food suffer predator and weather mortality. Combat this by locating generous sized food plots directly next to winter cover (3 acres or larger is best). Blocks are preferable to linear plantings, and placement on the windward side of winter cover improves that habitat. If winter cover is scarce, 10-acre plantings of sorghum blends with heavy leaf structure (like Blizzard Buster) may provide all the food and shelter that birds need. Green browse plots will provide no winter cover for upland birds, but will provide forage for deer.

HOW LARGE SHOULD MY FOOD PLOT BE? We can't predict when wildlife will most need assistance, so commit to planting substantial food plots every year. Plan grain food plots for the worst case weather scenario. Don't create a project that will be buried by the first blizzard. Your plots will be used by many kinds of wildlife. Deer and turkeys consume a lot of grain. They exhaust small food patches well before winter ends. Since you can't keep them out, larger food plots (3-10 acres) are always most desirable. Select a food plot mix based on the cover and food values you need, and carefully assess the critical factors of size and location for your farm.

HOW LONG WILL MY FOOD PLOT LAST? Hopefully all winter long! Grain food plots generally last only until the next growing season (particularly if deer use it heavily). Almost without fail, you need to re-establish these food plots annually. In rare instances of low wildlife use, the grain from one year may carry over to the next on the stalks. Allowing a plot like this to grow up into annual weeds provides excellent brood habitat. Legume-type green browse food plots (blends of clovers, alfalfa, etc.) generally last several years. Combination leafy forage/root crops like turnips need to be re-planted each year.

WHAT OTHER FACTORS SHOULD I CONSIDER? Food plots alone are not going to "bring back the birds." Well-placed food patches will help bring more hens through winter in better condition. At that point, however, the other habitat you have established on your farm (nesting cover, brood rearing habitat, etc.) will play the leading role. Be sure you focus on establishing and managing those important areas for wildlife, as well.





THE HABITAT ORGANIZATION

Not a member? You should be. Pheasants Forever and Quail Forever rank high among the most respected conservation organizations in North America. The reason is simple. We have a unique, homegrown

structure comprised of local chapters raising funds, and investing in local habitat projects and conservation education for youth. Each day, our professional staff and thousands of volunteers work to assure a bright future for wildlife and the future generations that will enjoy our natural resources. Please consider joining us in those efforts. Call or visit the website below.





Pheasants Forever and Quail Forever

1783 Buerkle Circle • St Paul, MN 55110 Ph: (651) 773-2000 • Toll Free: 1(877) 773-2070 Email: contact@pheasantsforever.org www.pheasantsforever.org or www.quailforever.org

To Order Food Plot Seed

www.PFHabitatStore.com Toll Free (866) 914-7373